emodpy-hiv

Institute for Disease Modeling

Oct 15, 2021

CONTENTS

1 Installation **3**

2 Frequently asked questions **5**

3 emodpy_hiv **15**

3.1 emodpy_hiv package 15

3.1.1 Subpackages 15

3.1.2 Submodules 25

Python Module Index **27**

Index **29**

emodpy-hiv is a collection of Python scripts and utilities created to streamline user interactions with EMOD and idmtools for modeling generic diseases. Much of the functionality is inherited from the emod_api and emodpy packages.

Additional information about how to use idmtools can be found at in Welcome to idmtools. Additional information about EMOD HIV parameters can be found in EMOD parameter reference.

If you have questions, see Frequently asked questions for general questions about all emodpy functionality or *Frequently asked questions* for functionality specific to emodpy-hiv.

See Welcome to idmtools for a diagram showing how idmtools and each of the related packages are used in an end-to-end workflow using EMOD as the disease transmission model.

CHAPTER

ONE

INSTALLATION

You can install emodpy-hiv using the instructions in the GitHub repository README.

CHAPTER

TWO

FREQUENTLY ASKED QUESTIONS

As you get started with emodpy-hiv, you may have questions. The most common questions are answered below. The most common questions are answered below. For questions related to functionality in related packages, see Frequently asked questions for idmtools, Frequently asked questions for emod-api, and Frequently asked questions for emodpy.

How do I set configuration parameters? Define your own parameter-setting function such as `set_param_fn` and pass that function to the emodpy task creator as the `param_custom_cb` parameter. In that function, you can set the parameters directly. For example:

```
    config.parameters.Enable_Demographics_Reporting = 0  # just because I don't␣
↪like our default for this

    # config hacks until schema fixes arrive
    config.parameters.pop( "Serialized_Population_Filenames" )
    config.parameters.pop( "Serialization_Time_Steps" )
    config.parameters.Report_HIV_Event_Channels_List = []
    config.parameters.Male_To_Female_Relative_Infectivity_Ages = [] # 15,25,35 ]
    config.parameters.Male_To_Female_Relative_Infectivity_Multipliers = [] # 5, 1,
↪ 0.5 ]
    # This one is crazy! :(
    config.parameters.Maternal_Infection_Transmission_Probability = 0

    return config


def build_camp():
    """
    Build a campaign input file for the DTK using emod_api.
    Right now this function creates the file and returns the filename. If calling␣
↪code just needs an asset that's fine.
```

See examples/start_here/example.py. for additional information.

If you prefer something more modular, you can call a function in a standalone script/file that sets the configuration parameters.

Are there parameter defaults? Great question. If you don't set any configuration parameters, they will have defaults based on the schema. There are not yet configuration parameter defaults specific to HIV.

The HIV team has some demographic parameter defaults set using *emodpy_hiv.demographics.DemographicsTemplates.AddDefaultSociety()*. They can be seen below.

```
def set_society_configs( config ):
    print( "TBD: Should be adding some implicit config here." )
    return config
```

(continues on next page)

(continued from previous page)

```
def AddDefaultSociety( demog ):
    """
    Adds a PFA config based on IDM defaults.
    """
    setting = {
        "Society" : {
            "Concurrency_Configuration" :
            {
                "Probability_Person_Is_Behavioral_Super_Spreader" : 0,
                "Individual_Property_Name": "NONE",
                "NONE":
                {
                    "Extra_Relational_Flag_Type": "Independent"
                }
            },
            "TRANSITORY" :
            {
                "Concurrency_Parameters" :
                {
                    "NONE":
                    {
                        "Max_Simultaneous_Relationships_Female": 1,
                        "Max_Simultaneous_Relationships_Male"  : 1,
                        "Prob_Extra_Relationship_Female"       : 0,
                        "Prob_Extra_Relationship_Male"         : 0
                    }
                },
                "Relationship_Parameters" :
                {
                    "Coital_Act_Rate" : 0.33,
                    "Condom_Usage_Probability" :
                    {
                        "Min": 0.10,
                        "Max": 0.90,
                        "Mid": 2000,
                        "Rate": 1
                    },
                    "Duration_Weibull_Heterogeneity": 0.833333333,
                    "Duration_Weibull_Scale": 0.956774771214,
                    "Migration_Actions" : [ "TERMINATE" ],
                    "Migration_Actions_Distribution" : [ 1.0 ]
                },
                "Pair_Formation_Parameters" :
                {
                    "Formation_Rate_Type" : "CONSTANT",
                    "Formation_Rate_Constant": 0.0014424307254,
                    "Update_Period" : 0.0,
                    "Extra_Relational_Rate_Ratio_Male": 1,
                    "Extra_Relational_Rate_Ratio_Female": 1,
                    "Number_Age_Bins_Male"   : 20,
                    "Number_Age_Bins_Female" : 20,
                    "Age_of_First_Bin_Edge_Male"   : 17.5,
                    "Age_of_First_Bin_Edge_Female" : 17.5,
                    "Years_Between_Bin_Edges_Male"   : 2.5,
                    "Years_Between_Bin_Edges_Female" : 2.5,
                    "Joint_Probabilities" :
                    [
```

(continues on next page)

(continued from previous page)

```
                        [ 0.045567, 0.035956, 0.019793, 0.007568, 0.002328, 0.
↪000551, 0.000059, 0.000018, 0.000004, 0.000001, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.044738, 0.036352, 0.021958, 0.010123, 0.003782, 0.
↪001001, 0.000184, 0.000073, 0.000022, 0.000004, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.041749, 0.037081, 0.028094, 0.017609, 0.008170, 0.
↪002469, 0.000642, 0.000267, 0.000090, 0.000021, 0.000002, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.034883, 0.034782, 0.032721, 0.025031, 0.013417, 0.
↪004969, 0.001732, 0.000707, 0.000251, 0.000079, 0.000018, 0.000004, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.022317, 0.025265, 0.028532, 0.025516, 0.016489, 0.
↪008321, 0.003780, 0.001533, 0.000572, 0.000213, 0.000062, 0.000012, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.009200, 0.013361, 0.019412, 0.020918, 0.016811, 0.
↪011010, 0.005957, 0.002611, 0.001029, 0.000369, 0.000102, 0.000020, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.002873, 0.006137, 0.011340, 0.014349, 0.013829, 0.
↪010947, 0.007060, 0.003720, 0.001602, 0.000506, 0.000122, 0.000031, 0.000004, 0.
↪000001, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.001060, 0.002528, 0.005183, 0.007796, 0.009413, 0.
↪009220, 0.007328, 0.004767, 0.002392, 0.000882, 0.000305, 0.000121, 0.000038, 0.
↪000008, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.000282, 0.000827, 0.002074, 0.004090, 0.006305, 0.
↪007459, 0.007090, 0.005534, 0.003443, 0.001782, 0.000873, 0.000393, 0.000140, 0.
↪000032, 0.000002, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.000148, 0.000373, 0.001016, 0.002362, 0.004162, 0.
↪005612, 0.006176, 0.005583, 0.004120, 0.002630, 0.001522, 0.000769, 0.000319, 0.
↪000097, 0.000021, 0.000004, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.000077, 0.000166, 0.000484, 0.001276, 0.002467, 0.
↪003661, 0.004442, 0.004384, 0.003574, 0.002614, 0.001800, 0.001118, 0.000585, 0.
↪000245, 0.000083, 0.000020, 0.000002, 0.000000, 0.000000, 0.000000 ],
                        [ 0.000096, 0.000144, 0.000302, 0.000669, 0.001252, 0.
↪001963, 0.002577, 0.002736, 0.002445, 0.002074, 0.001750, 0.001355, 0.000895, 0.
↪000496, 0.000222, 0.000071, 0.000017, 0.000003, 0.000000, 0.000000 ],
                        [ 0.000219, 0.000202, 0.000201, 0.000291, 0.000540, 0.
↪001013, 0.001555, 0.001784, 0.001668, 0.001522, 0.001453, 0.001358, 0.001170, 0.
↪000855, 0.000475, 0.000195, 0.000063, 0.000013, 0.000000, 0.000000 ],
                        [ 0.000320, 0.000250, 0.000144, 0.000097, 0.000205, 0.
↪000567, 0.001037, 0.001230, 0.001110, 0.000997, 0.001033, 0.001178, 0.001296, 0.
↪001150, 0.000755, 0.000381, 0.000150, 0.000037, 0.000004, 0.000001 ],
                        [ 0.000227, 0.000170, 0.000077, 0.000015, 0.000051, 0.
↪000253, 0.000535, 0.000648, 0.000582, 0.000560, 0.000678, 0.000905, 0.001125, 0.
↪001143, 0.000924, 0.000598, 0.000283, 0.000086, 0.000021, 0.000010 ],
                        [ 0.000062, 0.000046, 0.000021, 0.000004, 0.000014, 0.
↪000069, 0.000146, 0.000177, 0.000176, 0.000240, 0.000395, 0.000600, 0.000804, 0.
↪000943, 0.000951, 0.000756, 0.000428, 0.000183, 0.000088, 0.000063 ],
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000015, 0.000076, 0.000194, 0.000361, 0.000551, 0.
↪000720, 0.000808, 0.000735, 0.000536, 0.000355, 0.000253, 0.000212 ],
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000004, 0.000021, 0.000070, 0.000186, 0.000351, 0.
↪000496, 0.000586, 0.000621, 0.000607, 0.000555, 0.000489, 0.000451 ],
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000015, 0.000077, 0.000184, 0.
↪000305, 0.000424, 0.000543, 0.000649, 0.000717, 0.000746, 0.000754 ],
```

(continues on next page)

(continued from previous page)

```
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000005, 0.000024, 0.000074, 0.
↪000178, 0.000331, 0.000500, 0.000666, 0.000820, 0.000946, 0.001010 ]
                    ],
                    "Assortivity" :
                    {
                        "Group" : "NO_GROUP"
                    }
                }
            },
            "INFORMAL" :
            {
                "Concurrency_Parameters" :
                {
                    "NONE":
                    {
                        "Max_Simultaneous_Relationships_Female": 1,
                        "Max_Simultaneous_Relationships_Male"  : 1,
                        "Prob_Extra_Relationship_Female"       : 0,
                        "Prob_Extra_Relationship_Male"         : 0
                    }
                },
                "Relationship_Parameters" :
                {
                    "Coital_Act_Rate" : 0.33,
                    "Condom_Usage_Probability" :
                    {
                        "Min": 0.10,
                        "Max": 0.90,
                        "Mid": 2000,
                        "Rate": 1
                    },
                    "Duration_Weibull_Heterogeneity": 0.5,
                    "Duration_Weibull_Scale": 2.03104913138,
                    "Migration_Actions" : [ "TERMINATE" ],
                    "Migration_Actions_Distribution" : [ 1.0 ]
                },
                "Pair_Formation_Parameters" :
                {
                    "Formation_Rate_Type" : "CONSTANT",
                    "Formation_Rate_Constant": 0.00146753349399999,
                    "Update_Period" : 0.0,
                    "Extra_Relational_Rate_Ratio_Male": 1,
                    "Extra_Relational_Rate_Ratio_Female": 1,
                    "Number_Age_Bins_Male"   : 20,
                    "Number_Age_Bins_Female" : 20,
                    "Age_of_First_Bin_Edge_Male"   : 17.5,
                    "Age_of_First_Bin_Edge_Female" : 17.5,
                    "Years_Between_Bin_Edges_Male"   : 2.5,
                    "Years_Between_Bin_Edges_Female" : 2.5,
                    "Joint_Probabilities" :
                    [
                        [ 0.021820, 0.016798, 0.008474, 0.002572, 0.000566, 0.
↪000133, 0.000012, 0.000002, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.022878, 0.018808, 0.011747, 0.005706, 0.002183, 0.
↪000534, 0.000061, 0.000012, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
```

(continues on next page)

(continued from previous page)

```
                        [ 0.025094, 0.023590, 0.019998, 0.013835, 0.006582, 0.
↪001817, 0.000321, 0.000075, 0.000008, 0.000003, 0.000001, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.024383, 0.026075, 0.027147, 0.022210, 0.012255, 0.
↪004504, 0.001348, 0.000349, 0.000061, 0.000025, 0.000008, 0.000002, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.017162, 0.021429, 0.026924, 0.025626, 0.017250, 0.
↪008852, 0.003661, 0.001076, 0.000252, 0.000092, 0.000027, 0.000006, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.008432, 0.013738, 0.021613, 0.024180, 0.019887, 0.
↪013033, 0.006651, 0.002503, 0.000812, 0.000255, 0.000063, 0.000019, 0.000004, 0.
↪000001, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.003736, 0.007791, 0.014370, 0.018571, 0.018491, 0.
↪014865, 0.009391, 0.004734, 0.001979, 0.000629, 0.000170, 0.000062, 0.000019, 0.
↪000006, 0.000002, 0.000001, 0.000001, 0.000000, 0.000000, 0.000000 ],
                        [ 0.001699, 0.003707, 0.007467, 0.011553, 0.014397, 0.
↪014112, 0.010869, 0.006905, 0.003605, 0.001505, 0.000575, 0.000218, 0.000079, 0.
↪000034, 0.000017, 0.000010, 0.000004, 0.000001, 0.000000, 0.000000 ],
                        [ 0.000649, 0.001503, 0.003405, 0.006352, 0.009457, 0.
↪010871, 0.010096, 0.007985, 0.005372, 0.003070, 0.001478, 0.000581, 0.000222, 0.
↪000103, 0.000053, 0.000030, 0.000012, 0.000002, 0.000000, 0.000000 ],
                        [ 0.000253, 0.000604, 0.001471, 0.003029, 0.005049, 0.
↪006871, 0.007949, 0.007848, 0.006588, 0.004633, 0.002576, 0.001130, 0.000463, 0.
↪000197, 0.000093, 0.000050, 0.000020, 0.000004, 0.000000, 0.000000 ],
                        [ 0.000096, 0.000274, 0.000712, 0.001492, 0.002634, 0.
↪004087, 0.005552, 0.006489, 0.006506, 0.005362, 0.003450, 0.001796, 0.000819, 0.
↪000328, 0.000137, 0.000067, 0.000025, 0.000006, 0.000001, 0.000000 ],
                        [ 0.000066, 0.000224, 0.000546, 0.000969, 0.001526, 0.
↪002331, 0.003383, 0.004556, 0.005399, 0.005125, 0.003806, 0.002370, 0.001298, 0.
↪000621, 0.000278, 0.000118, 0.000045, 0.000015, 0.000004, 0.000001 ],
                        [ 0.000034, 0.000126, 0.000314, 0.000562, 0.000882, 0.
↪001325, 0.001955, 0.002844, 0.003711, 0.003916, 0.003386, 0.002613, 0.001862, 0.
↪001172, 0.000606, 0.000252, 0.000098, 0.000039, 0.000012, 0.000003 ],
                        [ 0.000009, 0.000033, 0.000107, 0.000275, 0.000523, 0.
↪000781, 0.001072, 0.001508, 0.002033, 0.002423, 0.002583, 0.002548, 0.002296, 0.
↪001748, 0.001030, 0.000478, 0.000199, 0.000073, 0.000021, 0.000006 ],
                        [ 0.000000, 0.000000, 0.000021, 0.000106, 0.000244, 0.
↪000370, 0.000495, 0.000703, 0.001023, 0.001429, 0.001860, 0.002219, 0.002354, 0.
↪002059, 0.001414, 0.000786, 0.000357, 0.000120, 0.000030, 0.000008 ],
                        [ 0.000000, 0.000000, 0.000006, 0.000028, 0.000066, 0.
↪000112, 0.000179, 0.000309, 0.000527, 0.000843, 0.001243, 0.001692, 0.002040, 0.
↪002018, 0.001612, 0.001064, 0.000557, 0.000218, 0.000067, 0.000018 ],
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000003, 0.
↪000013, 0.000053, 0.000161, 0.000337, 0.000537, 0.000769, 0.001088, 0.001424, 0.
↪001582, 0.001485, 0.001178, 0.000762, 0.000404, 0.000178, 0.000078 ],
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000001, 0.
↪000003, 0.000034, 0.000143, 0.000303, 0.000410, 0.000468, 0.000594, 0.000806, 0.
↪001025, 0.001160, 0.001107, 0.000884, 0.000635, 0.000444, 0.000350 ],
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000024, 0.000119, 0.000259, 0.000338, 0.000354, 0.000400, 0.000512, 0.
↪000665, 0.000808, 0.000863, 0.000843, 0.000852, 0.000910, 0.000951 ],
                        [ 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000020, 0.000101, 0.000223, 0.000309, 0.000345, 0.000378, 0.000427, 0.
↪000485, 0.000549, 0.000625, 0.000753, 0.001001, 0.001315, 0.001501 ]
                    ],
                    "Assortivity" :
                    {
```

(continues on next page)

(continued from previous page)

```
                        "Group" : "NO_GROUP"
                    }
                }
            },
            "MARITAL" :
            {
                "Concurrency_Parameters" :
                {
                    "NONE":
                    {
                        "Max_Simultaneous_Relationships_Female": 1,
                        "Max_Simultaneous_Relationships_Male"  : 1,
                        "Prob_Extra_Relationship_Female"       : 0,
                        "Prob_Extra_Relationship_Male"         : 0
                    }
                },
                "Relationship_Parameters" :
                {
                    "Coital_Act_Rate" : 0.33,
                    "Condom_Usage_Probability" :
                    {
                        "Min": 0.10,
                        "Max": 0.90,
                        "Mid": 2001,
                        "Rate": 1
                    },
                    "Duration_Weibull_Heterogeneity": 0.666666667,
                    "Duration_Weibull_Scale": 22.154455184937,
                    "Migration_Actions" : [ "TERMINATE" ],
                    "Migration_Actions_Distribution" : [ 1.0 ]
                },
                "Pair_Formation_Parameters" :
                {
                    "Formation_Rate_Type" : "CONSTANT",
                    "Formation_Rate_Constant": 0.0000914427211999999,
                    "Update_Period" : 0.0,
                    "Extra_Relational_Rate_Ratio_Male": 1,
                    "Extra_Relational_Rate_Ratio_Female": 1,
                    "Number_Age_Bins_Male"   : 20,
                    "Number_Age_Bins_Female" : 20,
                    "Age_of_First_Bin_Edge_Male"   : 17.5,
                    "Age_of_First_Bin_Edge_Female" : 17.5,
                    "Years_Between_Bin_Edges_Male"   : 2.5,
                    "Years_Between_Bin_Edges_Female" : 2.5,
                    "Joint_Probabilities" :
                    [
                        [ 0.001014, 0.000773, 0.000377, 0.000102, 0.000016, 0.
↪000003, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.001467, 0.001149, 0.000618, 0.000222, 0.000062, 0.
↪000012, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.002110, 0.001740, 0.001116, 0.000633, 0.000393, 0.
↪000235, 0.000098, 0.000020, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.002212, 0.002054, 0.001796, 0.001620, 0.001472, 0.
↪001076, 0.000489, 0.000098, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.
↪000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000 ],
```

(continues on next page)

(continued from previous page)

```
                        [ 0.001684, 0.001953, 0.002461, 0.003028, 0.003301, 0.
↪002735, 0.001514, 0.000551, 0.000155, 0.000031, 0.000001, 0.000005, 0.000009, 0.
↪000009, 0.000005, 0.000001, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.001040, 0.001617, 0.002774, 0.004255, 0.005423, 0.
↪005206, 0.003661, 0.001972, 0.000775, 0.000155, 0.000005, 0.000024, 0.000047, 0.
↪000047, 0.000024, 0.000005, 0.000000, 0.000000, 0.000000, 0.000000 ],
                        [ 0.000569, 0.001200, 0.002613, 0.004826, 0.007094, 0.
↪007849, 0.006726, 0.004557, 0.002234, 0.000711, 0.000183, 0.000092, 0.000101, 0.
↪000097, 0.000050, 0.000013, 0.000002, 0.000000, 0.000000, 0.000000 ],
                        [ 0.000339, 0.000830, 0.002079, 0.004396, 0.007285, 0.
↪009393, 0.009818, 0.008106, 0.004974, 0.002315, 0.000877, 0.000269, 0.000126, 0.
↪000108, 0.000063, 0.000025, 0.000008, 0.000002, 0.000000, 0.000000 ],
                        [ 0.000293, 0.000570, 0.001407, 0.003244, 0.006069, 0.
↪009393, 0.011954, 0.011712, 0.008762, 0.005333, 0.002674, 0.001056, 0.000371, 0.
↪000138, 0.000062, 0.000038, 0.000016, 0.000003, 0.000000, 0.000000 ],
                        [ 0.000253, 0.000419, 0.000970, 0.002268, 0.004615, 0.
↪008232, 0.012061, 0.013764, 0.012690, 0.009880, 0.006410, 0.003391, 0.001375, 0.
↪000352, 0.000070, 0.000039, 0.000016, 0.000003, 0.000000, 0.000000 ],
                        [ 0.000159, 0.000333, 0.000802, 0.001727, 0.003427, 0.
↪006363, 0.010138, 0.013505, 0.015301, 0.014457, 0.011223, 0.007178, 0.003560, 0.
↪001263, 0.000358, 0.000087, 0.000009, 0.000002, 0.000000, 0.000000 ],
                        [ 0.000075, 0.000230, 0.000598, 0.001230, 0.002345, 0.
↪004316, 0.007261, 0.011034, 0.014582, 0.015942, 0.014559, 0.011288, 0.007231, 0.
↪003733, 0.001443, 0.000304, 0.000009, 0.000002, 0.000000, 0.000000 ],
                        [ 0.000027, 0.000102, 0.000300, 0.000684, 0.001367, 0.
↪002505, 0.004362, 0.007309, 0.010903, 0.013882, 0.015276, 0.014404, 0.011428, 0.
↪007354, 0.003388, 0.000935, 0.000171, 0.000046, 0.000007, 0.000002 ],
                        [ 0.000005, 0.000020, 0.000090, 0.000286, 0.000658, 0.
↪001226, 0.002235, 0.004148, 0.007018, 0.010488, 0.013644, 0.015020, 0.013925, 0.
↪010445, 0.005801, 0.002345, 0.000792, 0.000218, 0.000037, 0.000010 ],
                        [ 0.000000, 0.000000, 0.000020, 0.000102, 0.000273, 0.
↪000549, 0.001102, 0.002260, 0.004239, 0.007138, 0.010432, 0.012966, 0.013724, 0.
↪011826, 0.007974, 0.004455, 0.002233, 0.000958, 0.000324, 0.000092 ],
                        [ 0.000000, 0.000000, 0.000013, 0.000063, 0.000163, 0.
↪000314, 0.000611, 0.001249, 0.002433, 0.004383, 0.006909, 0.009408, 0.011056, 0.
↪010813, 0.008887, 0.006737, 0.004916, 0.003067, 0.001322, 0.000382 ],
                        [ 0.000000, 0.000000, 0.000018, 0.000088, 0.000203, 0.
↪000312, 0.000455, 0.000764, 0.001380, 0.002449, 0.003925, 0.005568, 0.007040, 0.
↪007909, 0.008149, 0.008144, 0.007639, 0.005738, 0.002924, 0.001208 ],
                        [ 0.000000, 0.000000, 0.000018, 0.000088, 0.000198, 0.
↪000288, 0.000365, 0.000502, 0.000770, 0.001238, 0.001911, 0.002730, 0.003684, 0.
↪004800, 0.006002, 0.007105, 0.007580, 0.006558, 0.004455, 0.003100 ],
                        [ 0.000000, 0.000000, 0.000009, 0.000044, 0.000105, 0.
↪000175, 0.000244, 0.000316, 0.000417, 0.000601, 0.000889, 0.001276, 0.001787, 0.
↪002479, 0.003318, 0.004175, 0.004909, 0.005365, 0.005540, 0.005586 ],
                        [ 0.000000, 0.000000, 0.000002, 0.000012, 0.000038, 0.
↪000096, 0.000173, 0.000228, 0.000270, 0.000355, 0.000509, 0.000729, 0.001011, 0.
↪001347, 0.001743, 0.002217, 0.002961, 0.004339, 0.006055, 0.007062 ]
                    ],
                    "Assortivity" :
                    {
                        "Group" : "NO_GROUP"
                    }
                }
            },
            "COMMERCIAL" :
            {
```

(continues on next page)

(continued from previous page)

```
                "Concurrency_Parameters" :
                {
                    "NONE":
                    {
                        "Max_Simultaneous_Relationships_Female": 0,
                        "Max_Simultaneous_Relationships_Male"  : 0,
                        "Prob_Extra_Relationship_Female"       : 0,
                        "Prob_Extra_Relationship_Male"         : 0
                    }
                },
                "Relationship_Parameters" :
                {
                    "Coital_Act_Rate" : 0.33,
                    "Condom_Usage_Probability" :
                    {
                        "Min": 0.10,
                        "Max": 0.90,
                        "Mid": 2000,
                        "Rate": 1
                    },
                    "Duration_Weibull_Heterogeneity": 0.833333333,
                    "Duration_Weibull_Scale": 0.956774771214,
                    "Migration_Actions" : [ "TERMINATE" ],
                    "Migration_Actions_Distribution" : [ 1.0 ]
                },
                "Pair_Formation_Parameters" :
                {
                    "Formation_Rate_Type" : "CONSTANT",
                    "Formation_Rate_Constant": 0.0,
                    "Update_Period" : 7.0,
                    "Extra_Relational_Rate_Ratio_Male": 1,
                    "Extra_Relational_Rate_Ratio_Female": 1,
                    "Number_Age_Bins_Male"   : 2,
                    "Number_Age_Bins_Female" : 2,
                    "Age_of_First_Bin_Edge_Male"   : 50,
                    "Age_of_First_Bin_Edge_Female" : 50,
                    "Years_Between_Bin_Edges_Male"   : 35,
                    "Years_Between_Bin_Edges_Female" : 35,
                    "Joint_Probabilities" :
                    [
                        [ 0, 1 ],
                        [ 1, 0 ]
                    ],
                    "Assortivity" :
                    {
                        "Group" : "NO_GROUP"
                    }
                }
            }
        }
    }
    demog.raw['Defaults'].update( setting )
    #demog.SetNodeDefaultFromTemplate( setting, set_society_configs )
```

I see lots of HIV_SIM examples. Are there any STI_SIM examples? Not at this time.

I pip installed emodpy-hiv, but I want to make changes. How should I do that? Install at a command prompt using the following:

```
python package_setup.py develop
```

This method is the most popular and proven, though there are some other options. Installing this way means that the emodpy-hiv module in site-packages actually points to the same code as you have checked out in git. For more detail, see this Stack Overflow post.

However, we aim to get the desired changes quickly tested and included in the versioned module we release via pip install.

CHAPTER

THREE

EMODPY_HIV

3.1 emodpy_hiv package

3.1.1 Subpackages

emodpy_hiv.demographics package

Submodules

emodpy_hiv.demographics.DemographicsTemplates module

emodpy_hiv.demographics.DemographicsTemplates.**set_society_configs**(*config*)

emodpy_hiv.demographics.DemographicsTemplates.**AddDefaultSociety**(*demog*)

Adds a PFA config based on IDM defaults.

emodpy_hiv.demographics.HIVDemographics module

This module contains the classes and functions for creating demographics files for HIV simulations. For more information on EMOD demographics files, see Demographics file.

class emodpy_hiv.demographics.HIVDemographics.**HIVDemographics**(*nodes*, *idref='Gridded world grump2.5arcmin'*, *base_file=None*)

Bases: emod_api.demographics.Demographics.Demographics

This class is derived from emod_api.demographics.Demographics.Demographics and sets certain defaults for HIV in construction.

Parameters

- **nodes** – The number of nodes to create.
- **idref** – Method describing how the latitude and longitude values are created for each of the nodes in a simulation. "Gridded world" values use a grid overlaid across the globe at some arcsec resolution. You may also generate the grid using another tool or coordinate system. For more information, see Metadata.
- **base_file** – A basic demographics file used as a starting point for creating more complicated demographics files. For example, using a single node file to create a multi-node file for spatial simulations.

- **init_prev** – The initial HIV prevalence of the population.

Returns None

fertility(*path_to_csv*)
Set fertility based on data. Simulation shall concist of individual pregnancies with rates by woman's age and year-of-simulation using data from provided csv.

mortality(*file_male*, *file_female*, *interval_fit=[1970, 1980]*, *which_point='mid'*, *predict_horizon=2050*, *csv_out=False*, *n=0*, *results_scale_factor=0.0027397260273972603*)
For back-compat. This function can go away.

apply_assortivity(*category*, *rowmale_colfemale_matrix*)
Add an assortivity matrix to Pair-Forming Algo. Right now only applies to RISK IP.

Parameters

- **category** – "COMMERCIAL", "INFORMAL", "MARITAL", or "TRANSITORY"
- **rowmale_colfemale_matrix** – 3x3 matrix of assortivity values, row represents male, column represents female.

Returns N/A.

emodpy_hiv.demographics.HIVDemographics.**from_template_node**(*lat=0*, *lon=0*, *pop=1000000.0*, *name=1*, *forced_id=1*)
Create a single-node *HIVDemographics* instance from the parameters you supply.

Parameters

- **lat** – Latitude of the centroid of the node to create.
- **lon** – Longitude of the centroid of the node to create.
- **pop** – Human population of the node.
- **name** – The name of the node. This may be a characteristic of the node, such as "rural" or "urban", or an identifying integer.
- **forced_id** – The node ID for the single node.

Returns A HIVDemographics instance.

emodpy_hiv.demographics.HIVDemographics.**from_pop_csv**(*pop_filename_in*, *pop_filename_out='spatial_gridded_pop_dir'*, *site='No_Site'*)
Create a multi-node *HIVDemographics* instance from a CSV file describing a population.

Parameters

- **pop_filename_in** – The path to the demographics file to ingest.
- **pop_filename_out** – The path to the file to output.
- **site** – A string to identify the country, village, or trial site.

Returns A HIVDemographics instance.

emodpy_hiv.demographics.HIVDemographics.**from_params**(*tot_pop=1000000.0*, *num_nodes=100*, *frac_rural=0.3*, *id_ref='from_params'*)
Create a multi-node *HIVDemographics* instance as a synthetic population based on a few parameters.

Parameters

- **tot_pop** – The total human population in the node.
- **num_nodes** – The number of nodes to create.
- **frac_rural** – The fraction of the population that is rural.
- **id_ref** – Method describing how the latitude and longitude values are created for each of the nodes in a simulation. "Gridded world" values use a grid overlaid across the globe at some arcsec resolution. You may also generate the grid using another tool or coordinate system. For more information, see Metadata.

Returns A *HIVDemographics* instance.

emodpy_hiv.interventions package

Submodules

emodpy_hiv.interventions.art module

emodpy_hiv.interventions.art.**new_intervention**(*camp*)
AntiRetroviralTherapy intervention wrapper. Just the intervention. No configuration yet.

emodpy_hiv.interventions.art.**new_intervention_event**(*camp*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
ART intervention as complete (scheduled) event.

emodpy_hiv.interventions.art.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.artdropout module

emodpy_hiv.interventions.artdropout.**new_intervention**(*camp*)
ARTDropout intervention wrapper. Just the intervention. No configuration yet.

emodpy_hiv.interventions.artdropout.**new_intervention_event**(*camp*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
ARTDropout intervention as complete (scheduled) event.

emodpy_hiv.interventions.artdropout.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.artstagingbycd4agnosticdiag module

emodpy_hiv.interventions.artstagingbycd4agnosticdiag.**new_diagnostic**(*camp*, *Positive_Event*, *Negative_Event*, *abp_tvmap*, *abt_tvmap*, *abw_tvmap*, *cua_tvmap*, *cbt_tvmap*, *cbw_tvmap*)

Wrapper function to create and return a HIVARTStagingCD4AgnosticDiagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.artstagingbycd4agnosticdiag.**new_intervention_event**(*camp*, *pos_event*, *neg_event*, *abp_tvmap*, *abt_tvmap*, *abw_tvmap*, *cua_tvmap*, *cbt_tvmap*, *cbw_tvmap*, *start_day=1*, *coverage=1.0*, *node_ids=None*)

Diagnostic as scheduled event.

emodpy_hiv.interventions.artstagingbycd4agnosticdiag.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.artstagingbycd4diag module

emodpy_hiv.interventions.artstagingbycd4diag.**new_diagnostic**(*camp*, *Positive_Event*, *Negative_Event*, *Threshold_TVMap*, *IP_TVMap*, *IAT_TVMap*)

Wrapper function to create and return a HIVARTStagingByCD4Diagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.artstagingbycd4diag.**new_intervention_event**(*camp*, *pos_event*, *neg_event*, *thresh_tvmap*, *pregnant_tvmap*, *tb_tvmap*, *start_day=1*, *coverage=1.0*, *node_ids=None*)

Diagnostic as scheduled event.

emodpy_hiv.interventions.artstagingbycd4diag.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.cascade_helpers module

emodpy_hiv.interventions.cascade_helpers.**reset**(*camp*)

Utility function to clear out the campaign object, mostly useful to test. This function is not auto-imported with the module like the rest of the functions in this submodule. Caller has to explicitly import emodpy_hiv.interventions.cascade_helpers. :param camp: emod_api.campaign object.

Returns None.

emodpy_hiv.interventions.cascade_helpers.**seed_infection**(*camp*, *timestep*, *coverage*)

Seed an infection by time and %age of population infected.

emodpy_hiv.interventions.cascade_helpers.**add_triggered_event**(*camp*, *in_trigger*, *out_iv*, *coverage=1.0*, *target_sex='All'*, *target_risk=''*, *event_name=''*)

An alias for triggered_event_common. Naming things well is hard.

emodpy_hiv.interventions.cascade_helpers.**triggered_event_common**(*camp*, *in_trigger*, *out_iv*, *coverage=1.0*, *target_sex='All'*, *target_risk=''*, *event_name=''*)

Parameterized utility function used by rest of functions in this submodule that listen for a trigger and distribute an intervention (or list thereof) as a result.

emodpy_hiv.interventions.cascade_helpers.**add_choice**(*camp*, *sympto_signal='HIVSymptomatic'*, *get_tested_signal='GetTested'*)

Listen for HIVSymptomatic trigger. Then toss a coin (Random Choice), heads get tested, tails maybe it's just a cold.

emodpy_hiv.interventions.cascade_helpers.**add_test**(*camp*, *get_tested_signal='GetTested'*)

Listen for GetTested signal. Then get HIV RapidDiagnostic test after a delay of 30 days.

emodpy_hiv.interventions.cascade_helpers.**trigger_art_from_pos_test**(*camp*, *input_signal='HIVPositiveTest'*, *output_signal='StartTreatment'*, *lag_time=30*)

Listen for HIVPositiveTest trigger. Then Trigger ART. Note that Trigger ART isn't same as starting it.

emodpy_hiv.interventions.cascade_helpers.**add_art_from_trigger**(*camp*, *signal='StartTreatment'*)

Actually distribute ART if a StartTreatment signal/trigger is observed. Broadcast a StartedART signal synchronously.

emodpy_hiv.interventions.cascade_helpers.**trigger_art**(*camp*, *timestep*, *coverage*, *trigger='StartTreatment'*)

Schedule a broadcast of StartTreatment (or equivalent), not based on any observed signals.

emodpy_hiv.interventions.delay module

emodpy_hiv.interventions.delay.**new_delay**(*camp*, *Bcast_Event*, *Expire_Event=''*, *Coverage=1*, *Delay=1*, *Shelf_Life=36500*, *Name=''*)

Wrapper function to create and return a HIVDelayedIntervention intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.delay.**new_intervention_event**(*camp*, *bcast_event*, *expire_event=''*, *coverage=1*, *delay=1*, *shelf_life=0*)

Delay as scheduled event.

emodpy_hiv.interventions.delay.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.drawblood module

emodpy_hiv.interventions.drawblood.**new_diagnostic**(*camp*, *Positive_Event*, *Base_Sensitivity=1*, *Base_Specificity=1*, *Days_To_Diagnosis=0*, *Treatment_Fraction=1*)

Wrapper function to create and return a HIVDrawBlood intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.drawblood.**new_intervention_event**(*camp*, *pos_event*, *start_day=1*, *coverage=1.0*, *node_ids=None*)

Diagnostic as scheduled event.

emodpy_hiv.interventions.drawblood.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.malecirc module

emodpy_hiv.interventions.malecirc.**new_intervention**(*camp*)
MaleCircumcision intervention wrapper. Just the intervention. No configuration yet.

emodpy_hiv.interventions.malecirc.**new_intervention_event**(*camp*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
VMMC intervention as complete (scheduled) event.

emodpy_hiv.interventions.malecirc.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.modcoinf module

emodpy_hiv.interventions.modcoinf.**new_intervention**(*camp*)
ModifySTICoInfection intervention wrapper. Just the intervention. No configuration yet.

emodpy_hiv.interventions.modcoinf.**new_intervention_event**(*camp*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
ModifySTICoInfection intervention as complete (scheduled) event.

emodpy_hiv.interventions.modcoinf.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.outbreak module

emodpy_hiv.interventions.outbreak.**new_intervention**(*timestep*, *camp*, *coverage=0.01*)
Seed HIV infection at a certain timestep, with a certain prevalence.

Parameters

- **timestep** (*float*) – When? Timestep at which outbreak should occur.
- **camp** – emod_api.campaign object that has schema_path.
- **coverage** – How Much? The intended level of initial prevalance.

Returns event as dict

Return type event

emodpy_hiv.interventions.outbreak.**seed_infections**(*camp*, *start_day=365*, *coverage=0.075*, *target_properties=None*, *target_min_age=0*, *target_max_age=125*, *target_gender='All'*)
Create outbreak event with more targeting than 'new_intervention'.

emodpy_hiv.interventions.pmtct module

emodpy_hiv.interventions.pmtct.**new_intervention**(*camp*, *efficacy=1.0*)
PMTCT intervention wrapper. Just the intervention. No configuration yet.

emodpy_hiv.interventions.pmtct.**new_intervention_event**(*camp*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
PMTCT intervention as complete (scheduled) event.

emodpy_hiv.interventions.pmtct.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.prep module

emodpy_hiv.interventions.prep.**new_intervention**(*camp*)
PrEP intervention wrapper. Just the intervention. No configuration yet.

emodpy_hiv.interventions.prep.**new_intervention_event**(*camp*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
PrEP intervention as complete (scheduled) event.

emodpy_hiv.interventions.prep.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.random module

emodpy_hiv.interventions.random.**new_diagnostic**(*camp*, *choices*)
Wrapper function to create and return a HIVRandomChoice intervention.

Parameters

- **camp** – emod_api.campaign object with schema_path set.
- **choices** – dict of events:probability, with probs summing up to 1.0

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.random.**new_intervention_event**(*camp*, *choices*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
Diagnostic as scheduled event.

emodpy_hiv.interventions.random.**new_intervention_as_file**(*camp*, *start_day*, *choices*, *filename=None*)

emodpy_hiv.interventions.rapiddiag module

emodpy_hiv.interventions.rapiddiag.**new_diagnostic**(*camp*, *Positive_Event*, *Negative_Event*)
Wrapper function to create and return a HIVRapidHIVDiagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.rapiddiag.**new_intervention_event**(*camp*, *pos_event*, *neg_event*, *start_day=1*, *coverage=1.0*, *node_ids=None*)

Diagnostic as scheduled event.

emodpy_hiv.interventions.rapiddiag.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.reftracker module

emodpy_hiv.interventions.reftracker.**DistributeIVByRefTrack**(*camp*, *Start_Day*, *Intervention*, *TVMap*, *node_ids=None*, *Event_Name='Scheduled_Campaign_Event'*, *Property_Restrictions=None*, *Target_Age_Min=0*, *Target_Age_Max=45625*, *Target_Gender='All'*, *Update_Period=None*, *IV_Tracking_Name=None*)

Wrapper function to create and return a ScheduledCampaignEvent intervention. The alternative to a ScheduledCampaignEvent is a TriggeredCampaignEvent.

Parameters

- **camp** – emod_api.campaign object with schema_path set.
- **Start_Day** – When to start.
- **Intervention** – Valid intervention to be distributed together as necessary to track coverage targets. Can be single intervention or list (list is useful where you want a co-event). If list, actual intervention should be first.
- **Event_Name** – Name for overall campaign event, of not functional meaning.
- **node_ids** – Nodes to target with this intervention, return from utils.do_nodes().
- **Property_Restrictions** – Individual Properties a person must have to receive the intervention(s).
- **Number_Repetitions** – N/A
- **Timesteps_Between_Repetitions** – N/A
- **Target_Demographic** – Everyone, ExplicitAgeRanges, etc.
- **Target_Age_Min** – Minimum age (in years).
- **Target_Age_Max** – Maximum age (in years).
- **Target_Gender** – All, Male, or Female.
- **Update_Period** – Number representing how frequently the distributions are done.
- **IV_Tracking_Name** – Optional string parameter to distinguish one intervention from another if you're doing multiple campaigns with the same underlying intervention.

Returns Schema-based smart dictionary representing a new ScheduledCampaignEvent intervention ready to be added to a campaign.

Return type ReadOnlyDict

emodpy_hiv.interventions.reftracker.**new_intervention_as_file**(*camp*, *actual_intervention*, *start_day=1*, *filename=None*)

emodpy_hiv.interventions.sigmoiddiag module

emodpy_hiv.interventions.sigmoiddiag.**new_diagnostic**(*camp*, *Positive_Event*, *Negative_Event*, *ramp_min*, *ramp_max*, *ramp_midyear*, *ramp_rate*)

Wrapper function to create and return a HIVSigmoidByYearAndSexDiagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.sigmoiddiag.**new_intervention_event**(*camp*, *pos_event*, *neg_event*, *ramp_min=0*, *ramp_max=1*, *ramp_midyear=2000*, *ramp_rate=1*, *start_day=1*, *coverage=1.0*, *node_ids=None*)

Diagnostic as scheduled event.

emodpy_hiv.interventions.sigmoiddiag.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.stipostdebut module

emodpy_hiv.interventions.stipostdebut.**new_diagnostic**(*camp*, *Positive_Event*, *Negative_Event*, *Base_Sensitivity=1*, *Base_Specificity=1*, *Days_To_Diagnosis=0*, *Treatment_Fraction=1*)

Wrapper function to create and return a STIIsPostDebut intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.stipostdebut.**new_intervention_event**(*camp*, *pos_event*, *neg_event*, *start_day=1*, *coverage=1.0*, *node_ids=None*)

Diagnostic as scheduled event.

emodpy_hiv.interventions.stipostdebut.**new_intervention_as_file**(*camp*, *start_day*, *filename=None*)

emodpy_hiv.interventions.utils module

emodpy_hiv.interventions.utils.**set_tvmap_lists_from_map**(*tvmap*, *param*)

emodpy_hiv.interventions.utils.**declutter**(*event*)
These are mostly temporary hacks that clean up the output json; should go away with subsequent cherry-picks of schema enhancements from other branches.

emodpy_hiv.interventions.utils.**broadcast_event_immediate**(*camp*, *event_trigger: str = 'Births'*)

emodpy_hiv.interventions.utils.**broadcast_event_delayed**(*camp*, *event_trigger*, *delay=None*)

emodpy_hiv.interventions.yearandsexdiag module

emodpy_hiv.interventions.yearandsexdiag.**new_diagnostic**(*camp*, *Positive_Event*, *Negative_Event*, *TVMap*)
Wrapper function to create and return a HIVPiecewiseByYearAndSexDiagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

emodpy_hiv.interventions.yearandsexdiag.**new_intervention_event**(*camp*, *pos_event*, *neg_event*, *tvmap*, *start_day=1*, *coverage=1.0*, *node_ids=None*)
Diagnostic as scheduled event.

emodpy_hiv.interventions.yearandsexdiag.**new_intervention_as_file**(*camp*, *start_day*, *tvmap*, *filename=None*)

3.1.2 Submodules

emodpy_hiv.download module

emodpy_hiv.download.**download**(*experiment_id*, *local_output_path=''*, *files_to_get=None*)
Download HIV output file(s) to local disk. Just gets ReportHIVByAgeAndGender.csv. Intended to be used command line: python -m emopyhiv.download <COMPS Experiment ID> <Optional Output Path> <Files To Get> Note that target files need to include "output/" if that's where they are.

emodpy_hiv.utils module

emodpy_hiv.utils.**non_schema_checks**(*config*)
Do additional voluntary checks for config consistency. There's no real fixed list for what should be here.

PYTHON MODULE INDEX

e

emodpy_hiv, 15
emodpy_hiv.demographics, 15
emodpy_hiv.demographics.DemographicsTemplates, 15
emodpy_hiv.demographics.HIVDemographics, 15
emodpy_hiv.download, 25
emodpy_hiv.interventions, 17
emodpy_hiv.interventions.art, 17
emodpy_hiv.interventions.artdropout, 17
emodpy_hiv.interventions.artstagingbycd4agnosticdiag, 18
emodpy_hiv.interventions.artstagingbycd4diag, 18
emodpy_hiv.interventions.cascade_helpers, 19
emodpy_hiv.interventions.delay, 20
emodpy_hiv.interventions.drawblood, 20
emodpy_hiv.interventions.malecirc, 21
emodpy_hiv.interventions.modcoinf, 21
emodpy_hiv.interventions.outbreak, 21
emodpy_hiv.interventions.pmtct, 22
emodpy_hiv.interventions.prep, 22
emodpy_hiv.interventions.random, 22
emodpy_hiv.interventions.rapiddiag, 22
emodpy_hiv.interventions.reftracker, 23
emodpy_hiv.interventions.sigmoiddiag, 24
emodpy_hiv.interventions.stipostdebut, 24
emodpy_hiv.interventions.utils, 25
emodpy_hiv.interventions.yearandsexdiag, 25
emodpy_hiv.utils, 26

INDEX

A

add_art_from_trigger() (*in module emodpy_hiv.interventions.cascade_helpers*), 20
add_choice() (*in module emodpy_hiv.interventions.cascade_helpers*), 19
add_test() (*in module emodpy_hiv.interventions.cascade_helpers*), 19
add_triggered_event() (*in module emodpy_hiv.interventions.cascade_helpers*), 19
AddDefaultSociety() (*in module emodpy_hiv.demographics.DemographicsTemplates*), 15
apply_assortivity() (*emodpy_hiv.demographics.HIVDemographics.HIVDemographics method*), 16

B

broadcast_event_delayed() (*in module emodpy_hiv.interventions.utils*), 25
broadcast_event_immediate() (*in module emodpy_hiv.interventions.utils*), 25

D

declutter() (*in module emodpy_hiv.interventions.utils*), 25
DistributeIVByRefTrack() (*in module emodpy_hiv.interventions.reftracker*), 23
download() (*in module emodpy_hiv.download*), 25

E

emodpy_hiv
    module, 15
emodpy_hiv.demographics
    module, 15
emodpy_hiv.demographics.DemographicsTemplates
    module, 15
emodpy_hiv.demographics.HIVDemographics
    module, 15
emodpy_hiv.download
    module, 25
emodpy_hiv.interventions
    module, 17
emodpy_hiv.interventions.art
    module, 17
emodpy_hiv.interventions.artdropout
    module, 17
emodpy_hiv.interventions.artstagingbycd4agnosticdia
    module, 18
emodpy_hiv.interventions.artstagingbycd4diag
    module, 18
emodpy_hiv.interventions.cascade_helpers
    module, 19
emodpy_hiv.interventions.delay
    module, 20
emodpy_hiv.interventions.drawblood
    module, 20
emodpy_hiv.interventions.malecirc
    module, 21
emodpy_hiv.interventions.modcoinf
    module, 21
emodpy_hiv.interventions.outbreak
    module, 21
emodpy_hiv.interventions.pmtct
    module, 22
emodpy_hiv.interventions.prep
    module, 22
emodpy_hiv.interventions.random
    module, 22
emodpy_hiv.interventions.rapiddiag
    module, 22
emodpy_hiv.interventions.reftracker
    module, 23
emodpy_hiv.interventions.sigmoiddiag
    module, 24
emodpy_hiv.interventions.stipostdebut
    module, 24
emodpy_hiv.interventions.utils
    module, 25
emodpy_hiv.interventions.yearandsexdiag
    module, 25
emodpy_hiv.utils
    module, 26

F

fertility() (*emodpy_hiv.demographics.HIVDemographics.HIVDemographics method*), 16
from_params() (*in module emodpy_hiv.demographics.HIVDemographics*), 16
from_pop_csv() (*in module emodpy_hiv.demographics.HIVDemographics*), 16
from_template_node() (*in module emodpy_hiv.demographics.HIVDemographics*), 16

H

HIVDemographics (*class in emodpy_hiv.demographics.HIVDemographics*), 15

M

module
    emodpy_hiv, 15
    emodpy_hiv.demographics, 15
    emodpy_hiv.demographics.DemographicsTemplates, 15
    emodpy_hiv.demographics.HIVDemographics, 15
    emodpy_hiv.download, 25
    emodpy_hiv.interventions, 17
    emodpy_hiv.interventions.art, 17
    emodpy_hiv.interventions.artdropout, 17
    emodpy_hiv.interventions.artstagingbycd4agnosticdiag, 18
    emodpy_hiv.interventions.artstagingbycd4diag, 18
    emodpy_hiv.interventions.cascade_helpers, 19
    emodpy_hiv.interventions.delay, 20
    emodpy_hiv.interventions.drawblood, 20
    emodpy_hiv.interventions.malecirc, 21
    emodpy_hiv.interventions.modcoinf, 21
    emodpy_hiv.interventions.outbreak, 21
    emodpy_hiv.interventions.pmtct, 22
    emodpy_hiv.interventions.prep, 22
    emodpy_hiv.interventions.random, 22
    emodpy_hiv.interventions.rapiddiag, 22
    emodpy_hiv.interventions.reftracker, 23
    emodpy_hiv.interventions.sigmoiddiag, 24
    emodpy_hiv.interventions.stipostdebut, 24
    emodpy_hiv.interventions.utils, 25
    emodpy_hiv.interventions.yearandsexdiag, 25
    emodpy_hiv.utils, 26
mortality() (*emodpy_hiv.demographics.HIVDemographics.HIVDemog method*), 16

N

new_delay() (*in module emodpy_hiv.interventions.delay*), 20
new_diagnostic() (*in module emodpy_hiv.interventions.artstagingbycd4agnosticdiag*), 18
new_diagnostic() (*in module emodpy_hiv.interventions.artstagingbycd4diag*), 18
new_diagnostic() (*in module emodpy_hiv.interventions.drawblood*), 20
new_diagnostic() (*in module emodpy_hiv.interventions.random*), 22
new_diagnostic() (*in module emodpy_hiv.interventions.rapiddiag*), 22
new_diagnostic() (*in module emodpy_hiv.interventions.sigmoiddiag*), 24
new_diagnostic() (*in module emodpy_hiv.interventions.stipostdebut*), 24
new_diagnostic() (*in module emodpy_hiv.interventions.yearandsexdiag*), 25
new_intervention() (*in module emodpy_hiv.interventions.art*), 17
new_intervention() (*in module emodpy_hiv.interventions.artdropout*), 17
new_intervention() (*in module emodpy_hiv.interventions.malecirc*), 21
new_intervention() (*in module emodpy_hiv.interventions.modcoinf*), 21
new_intervention() (*in module emodpy_hiv.interventions.outbreak*), 21
new_intervention() (*in module emodpy_hiv.interventions.pmtct*), 22
new_intervention() (*in module emodpy_hiv.interventions.prep*), 22
new_intervention_as_file() (*in module emodpy_hiv.interventions.art*), 17
new_intervention_as_file() (*in module emodpy_hiv.interventions.artdropout*), 17
new_intervention_as_file() (*in module emodpy_hiv.interventions.artstagingbycd4agnosticdiag*), 18

new_intervention_as_file() (*in module emodpy_hiv.interventions.artstagingbycd4diag*), 19
new_intervention_as_file() (*in module emodpy_hiv.interventions.delay*), 20
new_intervention_as_file() (*in module emodpy_hiv.interventions.drawblood*), 20
new_intervention_as_file() (*in module emodpy_hiv.interventions.malecirc*), 21
new_intervention_as_file() (*in module emodpy_hiv.interventions.modcoinf*), 21
new_intervention_as_file() (*in module emodpy_hiv.interventions.pmtct*), 22
new_intervention_as_file() (*in module emodpy_hiv.interventions.prep*), 22
new_intervention_as_file() (*in module emodpy_hiv.interventions.random*), 22
new_intervention_as_file() (*in module emodpy_hiv.interventions.rapiddiag*), 23
new_intervention_as_file() (*in module emodpy_hiv.interventions.reftracker*), 24
new_intervention_as_file() (*in module emodpy_hiv.interventions.sigmoiddiag*), 24
new_intervention_as_file() (*in module emodpy_hiv.interventions.stipostdebut*), 25
new_intervention_as_file() (*in module emodpy_hiv.interventions.yearandsexdiag*), 25
new_intervention_event() (*in module emodpy_hiv.interventions.art*), 17
new_intervention_event() (*in module emodpy_hiv.interventions.artdropout*), 17
new_intervention_event() (*in module emodpy_hiv.interventions.artstagingbycd4agnosticdiag*), 18
new_intervention_event() (*in module emodpy_hiv.interventions.artstagingbycd4diag*), 18
new_intervention_event() (*in module emodpy_hiv.interventions.delay*), 20
new_intervention_event() (*in module emodpy_hiv.interventions.drawblood*), 20
new_intervention_event() (*in module emodpy_hiv.interventions.malecirc*), 21
new_intervention_event() (*in module emodpy_hiv.interventions.modcoinf*), 21
new_intervention_event() (*in module emodpy_hiv.interventions.pmtct*), 22
new_intervention_event() (*in module emodpy_hiv.interventions.prep*), 22
new_intervention_event() (*in module emodpy_hiv.interventions.random*), 22
new_intervention_event() (*in module emodpy_hiv.interventions.rapiddiag*), 22
new_intervention_event() (*in module emodpy_hiv.interventions.sigmoiddiag*), 24
new_intervention_event() (*in module emodpy_hiv.interventions.stipostdebut*), 24
new_intervention_event() (*in module emodpy_hiv.interventions.yearandsexdiag*), 25
non_schema_checks() (*in module emodpy_hiv.utils*), 26

R

reset() (*in module emodpy_hiv.interventions.cascade_helpers*), 19

S

seed_infection() (*in module emodpy_hiv.interventions.cascade_helpers*), 19
seed_infections() (*in module emodpy_hiv.interventions.outbreak*), 21
set_society_configs() (*in module emodpy_hiv.demographics.DemographicsTemplates*), 15
set_tvmap_lists_from_map() (*in module emodpy_hiv.interventions.utils*), 25

T

trigger_art() (*in module emodpy_hiv.interventions.cascade_helpers*), 20
trigger_art_from_pos_test() (*in module emodpy_hiv.interventions.cascade_helpers*), 19
triggered_event_common() (*in module emodpy_hiv.interventions.cascade_helpers*), 19