
emodpy-hiv

Institute for Disease Modeling

Nov 20, 2021

CONTENTS

- 1 emodpy-hiv installation 3**
 - 1.1 Prerequisites 3
 - 1.2 Installation instructions 3
- 2 Frequently asked questions 5**
- 3 emodpy_hiv 43**
 - 3.1 emodpy_hiv package 43
 - 3.1.1 Subpackages 43
 - 3.1.2 Submodules 54
- Python Module Index 57**
- Index 59**

emodpy-hiv is a collection of Python scripts and utilities created to streamline user interactions with EMOD and idmtools for modeling generic diseases. Much of the functionality is inherited from the [emod_api](#) and [emodpy](#) packages.

Additional information about how to use idmtools can be found at in [Welcome to idmtools](#). Additional information about EMOD HIV parameters can be found in [EMOD parameter reference](#).

If you have questions, see [Frequently asked questions](#) for general questions about all emodpy functionality or [Frequently asked questions](#) for functionality specific to emodpy-hiv.

See [Welcome to idmtools](#) for a diagram showing how idmtools and each of the related packages are used in an end-to-end workflow using EMOD as the disease transmission model.

EMODPY-HIV INSTALLATION

Follow the steps below to install emodpy-hiv.

1.1 Prerequisites

First, ensure the following prerequisites are met.

- Windows 10 Pro or Enterprise, Linux, or Mac
- Python 3.6.2 or 3.7 64-bit (<https://www.python.org/downloads/release>)
- A file that indicates the pip index-url:
 - Windows
 - Linux

In C:\Users\Username\pip\pip.ini, containing the following:

```
[global]
index-url = https://packages.idmod.org/api/pypi/pypi-production/simple
```

In \$HOME/.config/pip/pip.conf, containing the following:

```
[global]
index-url = https://packages.idmod.org/api/pypi/pypi-production/simple
```

1.2 Installation instructions

1. Open a command prompt and create a virtual environment in any directory you choose. The command below names the environment “v-emodpy-hiv”, but you may use any desired name:

```
python -m venv v-emodpy-hiv
```

2. Activate the virtual environment:

- Windows
- Linux

Enter the following:

```
v-emodpy-hiv\Scripts\activate
```

Enter the following:

```
source v-emodpy-hiv/bin/activate
```

3. Install emodpy-hiv packages:

```
pip install emodpy-hiv
```

If you are on Python 3.6, also run:

```
pip install dataclasses
```

If you are on Linux, also run:

```
pip install keyrings.alt
```

4. When you are finished, deactivate the virtual environment by entering the following at a command prompt:

```
deactivate
```


FREQUENTLY ASKED QUESTIONS

As you get started with emodpy-hiv, you may have questions. The most common questions are answered below. For questions related to functionality in related packages, see [Frequently asked questions](#) for idmtools, [Frequently asked questions](#) for emod-api, and [Frequently asked questions](#) for emodpy.

How do I set configuration parameters? Define your own parameter-setting function such as `set_param_fn` and pass that function to the emodpy task creator as the `param_custom_cb` parameter. In that function, you can set the parameters directly. For example:

```
config.parameters.Enable_Demographics_Reporting = 0 # just because I don't
↳ like our default for this

# config hacks until schema fixes arrive
config.parameters.pop( "Serialized_Population_Filenames" )
config.parameters.pop( "Serialization_Time_Steps" )
config.parameters.Report_HIV_Event_Channels_List = []
config.parameters.Male_To_Female_Relative_Infectivity_Ages = [] # 15,25,35 ]
config.parameters.Male_To_Female_Relative_Infectivity_Multipliers = [] # 5, 1,
↳ 0.5 ]
# This one is crazy! :(
config.parameters.Maternal_Infection_Transmission_Probability = 0
config.parameters['logLevel_default'] = "WARNING" # 'LogLevel_Default' is not
↳ in schema, so need to use the old style dict keys

return config

def build_camp():
    """
    Build a campaign input file for the DTK using emod_api.
```

See `examples/start_here/example.py`. for additional information.

If you prefer something more modular, you can call a function in a standalone script/file that sets the configuration parameters.

Are there parameter defaults? Great question. If you don't set any configuration parameters, they will have defaults based on the schema. There are not yet configuration parameter defaults specific to HIV.

The HIV team has some demographic parameter defaults set using `emodpy_hiv.demographics.DemographicsTemplates.AddDefaultSociety()`. They can be seen below.

```
from copy import deepcopy

societies = dict()
```

(continues on next page)

(continued from previous page)

```

societies["default"] = {
    "Society": {
        "Concurrency_Configuration":
        {
            "Probability_Person_Is_Behavioral_Super_Spreader": 0,
            "Individual_Property_Name": "NONE",
            "NONE":
            {
                "Extra_Relational_Flag_Type": "Independent"
            }
        },
        "TRANSITORY":
        {
            "Concurrency_Parameters":
            {
                "NONE":
                {
                    "Max_Simultaneous_Relationships_Female": 1,
                    "Max_Simultaneous_Relationships_Male": 1,
                    "Prob_Extra_Relationship_Female": 0,
                    "Prob_Extra_Relationship_Male": 0
                }
            },
            "Relationship_Parameters":
            {
                "Coital_Act_Rate": 0.33,
                "Condom_Usage_Probability":
                {
                    "Min": 0.10,
                    "Max": 0.90,
                    "Mid": 2000,
                    "Rate": 1
                },
                "Duration_Weibull_Heterogeneity": 0.833333333,
                "Duration_Weibull_Scale": 0.956774771214,
                "Migration_Actions": ["TERMINATE"],
                "Migration_Actions_Distribution": [1.0]
            },
            "Pair_Formation_Parameters":
            {
                "Formation_Rate_Type": "CONSTANT",
                "Formation_Rate_Constant": 0.0014424307254,
                "Update_Period": 0.0,
                "Extra_Relational_Rate_Ratio_Male": 1,
                "Extra_Relational_Rate_Ratio_Female": 1,
                "Number_Age_Bins_Male": 20,
                "Number_Age_Bins_Female": 20,
                "Age_of_First_Bin_Edge_Male": 17.5,
                "Age_of_First_Bin_Edge_Female": 17.5,
                "Years_Between_Bin_Edges_Male": 2.5,
                "Years_Between_Bin_Edges_Female": 2.5,
                "Joint_Probabilities":
                [
                    [0.045567, 0.035956, 0.019793, 0.007568, 0.002328, 0.000551,
↪0.000059, 0.000018, 0.000004, 0.000001, 0.000000, 0.000000, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
                    [0.044738, 0.036352, 0.021958, 0.010123, 0.003782, 0.001001,
↪0.000184, 0.000073, 0.000022, 0.000004, 0.000000, 0.000000, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],

```

(continues on next page)

(continued from previous page)

```

        [0.041749, 0.037081, 0.028094, 0.017609, 0.008170, 0.002469,
↪0.000642, 0.000267, 0.000090, 0.000021, 0.000002, 0.000000, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.034883, 0.034782, 0.032721, 0.025031, 0.013417, 0.004969,
↪0.001732, 0.000707, 0.000251, 0.000079, 0.000018, 0.000004, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.022317, 0.025265, 0.028532, 0.025516, 0.016489, 0.008321,
↪0.003780, 0.001533, 0.000572, 0.000213, 0.000062, 0.000012, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.009200, 0.013361, 0.019412, 0.020918, 0.016811, 0.011010,
↪0.005957, 0.002611, 0.001029, 0.000369, 0.000102, 0.000020, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.002873, 0.006137, 0.011340, 0.014349, 0.013829, 0.010947,
↪0.007060, 0.003720, 0.001602, 0.000506, 0.000122, 0.000031, 0.000004, 0.000001,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.001060, 0.002528, 0.005183, 0.007796, 0.009413, 0.009220,
↪0.007328, 0.004767, 0.002392, 0.000882, 0.000305, 0.000121, 0.000038, 0.000008,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.000282, 0.000827, 0.002074, 0.004090, 0.006305, 0.007459,
↪0.007090, 0.005534, 0.003443, 0.001782, 0.000873, 0.000393, 0.000140, 0.000032,
↪0.000002, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.000148, 0.000373, 0.001016, 0.002362, 0.004162, 0.005612,
↪0.006176, 0.005583, 0.004120, 0.002630, 0.001522, 0.000769, 0.000319, 0.000097,
↪0.000021, 0.000004, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.000077, 0.000166, 0.000484, 0.001276, 0.002467, 0.003661,
↪0.004442, 0.004384, 0.003574, 0.002614, 0.001800, 0.001118, 0.000585, 0.000245,
↪0.000083, 0.000020, 0.000002, 0.000000, 0.000000, 0.000000],
        [0.000096, 0.000144, 0.000302, 0.000669, 0.001252, 0.001963,
↪0.002577, 0.002736, 0.002445, 0.002074, 0.001750, 0.001355, 0.000895, 0.000496,
↪0.000222, 0.000071, 0.000017, 0.000003, 0.000000, 0.000000],
        [0.000219, 0.000202, 0.000201, 0.000291, 0.000540, 0.001013,
↪0.001555, 0.001784, 0.001668, 0.001522, 0.001453, 0.001358, 0.001170, 0.000855,
↪0.000475, 0.000195, 0.000063, 0.000013, 0.000000, 0.000000],
        [0.000320, 0.000250, 0.000144, 0.000097, 0.000205, 0.000567,
↪0.001037, 0.001230, 0.001110, 0.000997, 0.001033, 0.001178, 0.001296, 0.001150,
↪0.000755, 0.000381, 0.000150, 0.000037, 0.000004, 0.000001],
        [0.000227, 0.000170, 0.000077, 0.000015, 0.000051, 0.000253,
↪0.000535, 0.000648, 0.000582, 0.000560, 0.000678, 0.000905, 0.001125, 0.001143,
↪0.000924, 0.000598, 0.000283, 0.000086, 0.000021, 0.000010],
        [0.000062, 0.000046, 0.000021, 0.000004, 0.000014, 0.000069,
↪0.000146, 0.000177, 0.000176, 0.000240, 0.000395, 0.000600, 0.000804, 0.000943,
↪0.000951, 0.000756, 0.000428, 0.000183, 0.000088, 0.000063],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000015, 0.000076, 0.000194, 0.000361, 0.000551, 0.000720,
↪0.000808, 0.000735, 0.000536, 0.000355, 0.000253, 0.000212],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000004, 0.000021, 0.000070, 0.000186, 0.000351, 0.000496,
↪0.000586, 0.000621, 0.000607, 0.000555, 0.000489, 0.000451],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000015, 0.000077, 0.000184, 0.000305,
↪0.000424, 0.000543, 0.000649, 0.000717, 0.000746, 0.000754],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000,
↪0.000000, 0.000000, 0.000000, 0.000000, 0.000005, 0.000024, 0.000074, 0.000178,
↪0.000331, 0.000500, 0.000666, 0.000820, 0.000946, 0.001010]
    ],
    "Assortivity":
    {

```

(continues on next page)

(continued from previous page)

```

        "Group": "NO_GROUP"
    }
},
"INFORMAL":
{
    "Concurrency_Parameters":
    {
        "NONE":
        {
            "Max_Simultaneous_Relationships_Female": 1,
            "Max_Simultaneous_Relationships_Male": 1,
            "Prob_Extra_Relationship_Female": 0,
            "Prob_Extra_Relationship_Male": 0
        }
    },
    "Relationship_Parameters":
    {
        "Coital_Act_Rate": 0.33,
        "Condom_Usage_Probability":
        {
            "Min": 0.10,
            "Max": 0.90,
            "Mid": 2000,
            "Rate": 1
        },
        "Duration_Weibull_Heterogeneity": 0.5,
        "Duration_Weibull_Scale": 2.03104913138,
        "Migration_Actions": ["TERMINATE"],
        "Migration_Actions_Distribution": [1.0]
    },
    "Pair_Formation_Parameters":
    {
        "Formation_Rate_Type": "CONSTANT",
        "Formation_Rate_Constant": 0.00146753349399999,
        "Update_Period": 0.0,
        "Extra_Relational_Rate_Ratio_Male": 1,
        "Extra_Relational_Rate_Ratio_Female": 1,
        "Number_Age_Bins_Male": 20,
        "Number_Age_Bins_Female": 20,
        "Age_of_First_Bin_Edge_Male": 17.5,
        "Age_of_First_Bin_Edge_Female": 17.5,
        "Years_Between_Bin_Edges_Male": 2.5,
        "Years_Between_Bin_Edges_Female": 2.5,
        "Joint_Probabilities":
        [
            [0.021820, 0.016798, 0.008474, 0.002572, 0.000566, 0.000133, ↵
↵0.000012, 0.000002, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
            [0.022878, 0.018808, 0.011747, 0.005706, 0.002183, 0.000534, ↵
↵0.000061, 0.000012, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
            [0.025094, 0.023590, 0.019998, 0.013835, 0.006582, 0.001817, ↵
↵0.000321, 0.000075, 0.000008, 0.000003, 0.000001, 0.000000, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
            [0.024383, 0.026075, 0.027147, 0.022210, 0.012255, 0.004504, ↵
↵0.001348, 0.000349, 0.000061, 0.000025, 0.000008, 0.000002, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],

```

(continues on next page)

(continued from previous page)

```

        [0.017162, 0.021429, 0.026924, 0.025626, 0.017250, 0.008852, ↵
↵0.003661, 0.001076, 0.000252, 0.000092, 0.000027, 0.000006, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.008432, 0.013738, 0.021613, 0.024180, 0.019887, 0.013033, ↵
↵0.006651, 0.002503, 0.000812, 0.000255, 0.000063, 0.000019, 0.000004, 0.000001, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
        [0.003736, 0.007791, 0.014370, 0.018571, 0.018491, 0.014865, ↵
↵0.009391, 0.004734, 0.001979, 0.000629, 0.000170, 0.000062, 0.000019, 0.000006, ↵
↵0.000002, 0.000001, 0.000001, 0.000000, 0.000000, 0.000000],
        [0.001699, 0.003707, 0.007467, 0.011553, 0.014397, 0.014112, ↵
↵0.010869, 0.006905, 0.003605, 0.001505, 0.000575, 0.000218, 0.000079, 0.000034, ↵
↵0.000017, 0.000010, 0.000004, 0.000001, 0.000000, 0.000000],
        [0.000649, 0.001503, 0.003405, 0.006352, 0.009457, 0.010871, ↵
↵0.010096, 0.007985, 0.005372, 0.003070, 0.001478, 0.000581, 0.000222, 0.000103, ↵
↵0.000053, 0.000030, 0.000012, 0.000002, 0.000000, 0.000000],
        [0.000253, 0.000604, 0.001471, 0.003029, 0.005049, 0.006871, ↵
↵0.007949, 0.007848, 0.006588, 0.004633, 0.002576, 0.001130, 0.000463, 0.000197, ↵
↵0.000093, 0.000050, 0.000020, 0.000004, 0.000000, 0.000000],
        [0.000096, 0.000274, 0.000712, 0.001492, 0.002634, 0.004087, ↵
↵0.005552, 0.006489, 0.006506, 0.005362, 0.003450, 0.001796, 0.000819, 0.000328, ↵
↵0.000137, 0.000067, 0.000025, 0.000006, 0.000001, 0.000000],
        [0.000066, 0.000224, 0.000546, 0.000969, 0.001526, 0.002331, ↵
↵0.003383, 0.004556, 0.005399, 0.005125, 0.003806, 0.002370, 0.001298, 0.000621, ↵
↵0.000278, 0.000118, 0.000045, 0.000015, 0.000004, 0.000001],
        [0.000034, 0.000126, 0.000314, 0.000562, 0.000882, 0.001325, ↵
↵0.001955, 0.002844, 0.003711, 0.003916, 0.003386, 0.002613, 0.001862, 0.001172, ↵
↵0.000606, 0.000252, 0.000098, 0.000039, 0.000012, 0.000003],
        [0.000009, 0.000033, 0.000107, 0.000275, 0.000523, 0.000781, ↵
↵0.001072, 0.001508, 0.002033, 0.002423, 0.002583, 0.002548, 0.002296, 0.001748, ↵
↵0.001030, 0.000478, 0.000199, 0.000073, 0.000021, 0.000006],
        [0.000000, 0.000000, 0.000021, 0.000106, 0.000244, 0.000370, ↵
↵0.000495, 0.000703, 0.001023, 0.001429, 0.001860, 0.002219, 0.002354, 0.002059, ↵
↵0.001414, 0.000786, 0.000357, 0.000120, 0.000030, 0.000008],
        [0.000000, 0.000000, 0.000006, 0.000028, 0.000066, 0.000112, ↵
↵0.000179, 0.000309, 0.000527, 0.000843, 0.001243, 0.001692, 0.002040, 0.002018, ↵
↵0.001612, 0.001064, 0.000557, 0.000218, 0.000067, 0.000018],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000003, 0.000013, ↵
↵0.000053, 0.000161, 0.000337, 0.000537, 0.000769, 0.001088, 0.001424, 0.001582, ↵
↵0.001485, 0.001178, 0.000762, 0.000404, 0.000178, 0.000078],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000001, 0.000003, ↵
↵0.000034, 0.000143, 0.000303, 0.000410, 0.000468, 0.000594, 0.000806, 0.001025, ↵
↵0.001160, 0.001107, 0.000884, 0.000635, 0.000444, 0.000350],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000024, 0.000119, 0.000259, 0.000338, 0.000354, 0.000400, 0.000512, 0.000665, ↵
↵0.000808, 0.000863, 0.000843, 0.000852, 0.000910, 0.000951],
        [0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000020, 0.000101, 0.000223, 0.000309, 0.000345, 0.000378, 0.000427, 0.000485, ↵
↵0.000549, 0.000625, 0.000753, 0.001001, 0.001315, 0.001501]
    ],
    "Assortivity":
    {
        "Group": "NO_GROUP"
    }
},
"MARITAL":
{

```

(continues on next page)

(continued from previous page)

```

"Concurrency_Parameters":
{
  "NONE":
  {
    "Max_Simultaneous_Relationships_Female": 1,
    "Max_Simultaneous_Relationships_Male": 1,
    "Prob_Extra_Relationship_Female": 0,
    "Prob_Extra_Relationship_Male": 0
  }
},
"Relationship_Parameters":
{
  "Coital_Act_Rate": 0.33,
  "Condom_Usage_Probability":
  {
    "Min": 0.10,
    "Max": 0.90,
    "Mid": 2001,
    "Rate": 1
  },
  "Duration_Weibull_Heterogeneity": 0.666666667,
  "Duration_Weibull_Scale": 22.154455184937,
  "Migration_Actions": ["TERMINATE"],
  "Migration_Actions_Distribution": [1.0]
},
"Pair_Formation_Parameters":
{
  "Formation_Rate_Type": "CONSTANT",
  "Formation_Rate_Constant": 0.00009144272119999999,
  "Update_Period": 0.0,
  "Extra_Relational_Rate_Ratio_Male": 1,
  "Extra_Relational_Rate_Ratio_Female": 1,
  "Number_Age_Bins_Male": 20,
  "Number_Age_Bins_Female": 20,
  "Age_of_First_Bin_Edge_Male": 17.5,
  "Age_of_First_Bin_Edge_Female": 17.5,
  "Years_Between_Bin_Edges_Male": 2.5,
  "Years_Between_Bin_Edges_Female": 2.5,
  "Joint_Probabilities":
  [
    [0.001014, 0.000773, 0.000377, 0.000102, 0.000016, 0.000003, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
    [0.001467, 0.001149, 0.000618, 0.000222, 0.000062, 0.000012, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
    [0.002110, 0.001740, 0.001116, 0.000633, 0.000393, 0.000235, ↵
↵0.000098, 0.000020, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
    [0.002212, 0.002054, 0.001796, 0.001620, 0.001472, 0.001076, ↵
↵0.000489, 0.000098, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000, ↵
↵0.000000, 0.000000, 0.000000, 0.000000, 0.000000, 0.000000],
    [0.001684, 0.001953, 0.002461, 0.003028, 0.003301, 0.002735, ↵
↵0.001514, 0.000551, 0.000155, 0.000031, 0.000001, 0.000005, 0.000009, 0.000009, ↵
↵0.000005, 0.000001, 0.000000, 0.000000, 0.000000, 0.000000],
    [0.001040, 0.001617, 0.002774, 0.004255, 0.005423, 0.005206, ↵
↵0.003661, 0.001972, 0.000775, 0.000155, 0.000005, 0.000024, 0.000047, 0.000047, ↵
↵0.000024, 0.000005, 0.000000, 0.000000, 0.000000, 0.000000],
  ]
}

```

(continues on next page)

(continued from previous page)

```

        [0.000569, 0.001200, 0.002613, 0.004826, 0.007094, 0.007849, ↵
↵0.006726, 0.004557, 0.002234, 0.000711, 0.000183, 0.000092, 0.000101, 0.000097, ↵
↵0.000050, 0.000013, 0.000002, 0.000000, 0.000000, 0.000000],
        [0.000339, 0.000830, 0.002079, 0.004396, 0.007285, 0.009393, ↵
↵0.009818, 0.008106, 0.004974, 0.002315, 0.000877, 0.000269, 0.000126, 0.000108, ↵
↵0.000063, 0.000025, 0.000008, 0.000002, 0.000000, 0.000000],
        [0.000293, 0.000570, 0.001407, 0.003244, 0.006069, 0.009393, ↵
↵0.011954, 0.011712, 0.008762, 0.005333, 0.002674, 0.001056, 0.000371, 0.000138, ↵
↵0.000062, 0.000038, 0.000016, 0.000003, 0.000000, 0.000000],
        [0.000253, 0.000419, 0.000970, 0.002268, 0.004615, 0.008232, ↵
↵0.012061, 0.013764, 0.012690, 0.009880, 0.006410, 0.003391, 0.001375, 0.000352, ↵
↵0.000070, 0.000039, 0.000016, 0.000003, 0.000000, 0.000000],
        [0.000159, 0.000333, 0.000802, 0.001727, 0.003427, 0.006363, ↵
↵0.010138, 0.013505, 0.015301, 0.014457, 0.011223, 0.007178, 0.003560, 0.001263, ↵
↵0.000358, 0.000087, 0.000009, 0.000002, 0.000000, 0.000000],
        [0.000075, 0.000230, 0.000598, 0.001230, 0.002345, 0.004316, ↵
↵0.007261, 0.011034, 0.014582, 0.015942, 0.014559, 0.011288, 0.007231, 0.003733, ↵
↵0.001443, 0.000304, 0.000009, 0.000002, 0.000000, 0.000000],
        [0.000027, 0.000102, 0.000300, 0.000684, 0.001367, 0.002505, ↵
↵0.004362, 0.007309, 0.010903, 0.013882, 0.015276, 0.014404, 0.011428, 0.007354, ↵
↵0.003388, 0.000935, 0.000171, 0.000046, 0.000007, 0.000002],
        [0.000005, 0.000020, 0.000090, 0.000286, 0.000658, 0.001226, ↵
↵0.002235, 0.004148, 0.007018, 0.010488, 0.013644, 0.015020, 0.013925, 0.010445, ↵
↵0.005801, 0.002345, 0.000792, 0.000218, 0.000037, 0.000010],
        [0.000000, 0.000000, 0.000020, 0.000102, 0.000273, 0.000549, ↵
↵0.001102, 0.002260, 0.004239, 0.007138, 0.010432, 0.012966, 0.013724, 0.011826, ↵
↵0.007974, 0.004455, 0.002233, 0.000958, 0.000324, 0.000092],
        [0.000000, 0.000000, 0.000013, 0.000063, 0.000163, 0.000314, ↵
↵0.000611, 0.001249, 0.002433, 0.004383, 0.006909, 0.009408, 0.011056, 0.010813, ↵
↵0.008887, 0.006737, 0.004916, 0.003067, 0.001322, 0.000382],
        [0.000000, 0.000000, 0.000018, 0.000088, 0.000203, 0.000312, ↵
↵0.000455, 0.000764, 0.001380, 0.002449, 0.003925, 0.005568, 0.007040, 0.007909, ↵
↵0.008149, 0.008144, 0.007639, 0.005738, 0.002924, 0.001208],
        [0.000000, 0.000000, 0.000018, 0.000088, 0.000198, 0.000288, ↵
↵0.000365, 0.000502, 0.000770, 0.001238, 0.001911, 0.002730, 0.003684, 0.004800, ↵
↵0.006002, 0.007105, 0.007580, 0.006558, 0.004455, 0.003100],
        [0.000000, 0.000000, 0.000009, 0.000044, 0.000105, 0.000175, ↵
↵0.000244, 0.000316, 0.000417, 0.000601, 0.000889, 0.001276, 0.001787, 0.002479, ↵
↵0.003318, 0.004175, 0.004909, 0.005365, 0.005540, 0.005586],
        [0.000000, 0.000000, 0.000002, 0.000012, 0.000038, 0.000096, ↵
↵0.000173, 0.000228, 0.000270, 0.000355, 0.000509, 0.000729, 0.001011, 0.001347, ↵
↵0.001743, 0.002217, 0.002961, 0.004339, 0.006055, 0.007062]
    ],
    "Assortivity":
    {
        "Group": "NO_GROUP"
    }
},
"COMMERCIAL":
{
    "Concurrency_Parameters":
    {
        "NONE":
        {
            "Max_Simultaneous_Relationships_Female": 0,
            "Max_Simultaneous_Relationships_Male": 0,

```

(continues on next page)

(continued from previous page)

```

        "Prob_Extra_Relationship_Female": 0,
        "Prob_Extra_Relationship_Male": 0
    }
},
"Relationship_Parameters":
{
    "Coital_Act_Rate": 0.33,
    "Condom_Usage_Probability":
    {
        "Min": 0.10,
        "Max": 0.90,
        "Mid": 2000,
        "Rate": 1
    },
    "Duration_Weibull_Heterogeneity": 0.833333333,
    "Duration_Weibull_Scale": 0.956774771214,
    "Migration_Actions": ["TERMINATE"],
    "Migration_Actions_Distribution": [1.0]
},
"Pair_Formation_Parameters":
{
    "Formation_Rate_Type": "CONSTANT",
    "Formation_Rate_Constant": 0.0,
    "Update_Period": 7.0,
    "Extra_Relational_Rate_Ratio_Male": 1,
    "Extra_Relational_Rate_Ratio_Female": 1,
    "Number_Age_Bins_Male": 2,
    "Number_Age_Bins_Female": 2,
    "Age_of_First_Bin_Edge_Male": 50,
    "Age_of_First_Bin_Edge_Female": 50,
    "Years_Between_Bin_Edges_Male": 35,
    "Years_Between_Bin_Edges_Female": 35,
    "Joint_Probabilities":
    [
        [0, 1],
        [1, 0]
    ],
    "Assortivity":
    {
        "Group": "NO_GROUP"
    }
}
}
}

societies["PFA-Southern-Africa"] = {
    "IndividualProperties": [
        {
            "Property": "Risk",
            "Values": ["LOW", "MEDIUM", "HIGH"],
            "Initial_Distribution": [0.6669671396606822, 0.3330328603393178, 0]
        }
    ],
    "Society": {
        "Concurrency_Configuration": {
            "Probability_Person_Is_Behavioral_Super_Spreader": 0,

```

(continues on next page)

(continued from previous page)

```

    "Individual_Property_Name": "Risk",
    "HIGH": {
        "Extra_Relational_Flag_Type": "Correlated",
        "Correlated_Relationship_Type_Order": [
            "COMMERCIAL",
            "TRANSITORY",
            "INFORMAL",
            "MARITAL"
        ]
    },
    "LOW": {
        "Extra_Relational_Flag_Type": "Correlated",
        "Correlated_Relationship_Type_Order": [
            "COMMERCIAL",
            "TRANSITORY",
            "INFORMAL",
            "MARITAL"
        ]
    },
    "MEDIUM": {
        "Extra_Relational_Flag_Type": "Correlated",
        "Correlated_Relationship_Type_Order": [
            "COMMERCIAL",
            "TRANSITORY",
            "INFORMAL",
            "MARITAL"
        ]
    }
},
"COMMERCIAL": {
    "Relationship_Parameters": {
        "Coital_Act_Rate": 0.0027397260273972603,
        "Condom_Usage_Probability": {
            "Max": 0.85,
            "Mid": 1999.5,
            "Min": 0.5,
            "Rate": 1
        },
        "Duration_Weibull_Heterogeneity": 1,
        "Duration_Weibull_Scale": 0.01917808219,
        "Migration_Actions": [
            "TERMINATE"
        ],
        "Migration_Actions_Distribution": [
            1.0
        ]
    },
    "Concurrency_Parameters": {
        "HIGH": {
            "Max_Simultaneous_Relationships_Female": 59,
            "Max_Simultaneous_Relationships_Male": 59,
            "Prob_Extra_Relationship_Female": 1,
            "Prob_Extra_Relationship_Male": 1
        },
        "LOW": {
            "Max_Simultaneous_Relationships_Female": 0,
            "Max_Simultaneous_Relationships_Male": 0,

```

(continues on next page)

(continued from previous page)

```

        "Prob_Extra_Relationship_Female": 1,
        "Prob_Extra_Relationship_Male": 1
    },
    "MEDIUM": {
        "Max_Simultaneous_Relationships_Female": 0,
        "Max_Simultaneous_Relationships_Male": 0,
        "Prob_Extra_Relationship_Female": 1,
        "Prob_Extra_Relationship_Male": 1
    }
},
"Pair_Formation_Parameters": {
    "Age_of_First_Bin_Edge_Female": 15,
    "Age_of_First_Bin_Edge_Male": 15,
    "Extra_Relational_Rate_Ratio_Female": 10,
    "Extra_Relational_Rate_Ratio_Male": 10,
    "Formation_Rate_Constant": 0.15,
    "Formation_Rate_Type": "CONSTANT",
    "Number_Age_Bins_Female": 1,
    "Number_Age_Bins_Male": 1,
    "Update_Period": 7,
    "Years_Between_Bin_Edges_Female": 35,
    "Years_Between_Bin_Edges_Male": 35,
    "Joint_Probabilities": [
        [
            1
        ]
    ],
},
"Assortivity": {
    "Axes": [
        "LOW",
        "MEDIUM",
        "HIGH"
    ],
    "Group": "INDIVIDUAL_PROPERTY",
    "Property_Name": "Risk",
    "Weighting_Matrix_RowMale_ColumnFemale": [
        [1, 1, 1],
        [1, 1, 1],
        [1, 1, 1]
    ]
},
},
"INFORMAL": {
    "Relationship_Parameters": {
        "Coital_Act_Rate": 0.33,
        "Condom_Usage_Probability": {
            "Max": 0.3276293852,
            "Mid": 1998.5140953411,
            "Min": 0.0,
            "Rate": 1.4303827593
        },
    },
    "Duration_Weibull_Heterogeneity": 0.75,
    "Duration_Weibull_Scale": 2.03104913138,
    "Migration_Actions": [
        "TERMINATE"
    ]
},

```

(continues on next page)

[illegible]

(continued from previous page)

```

0.0
],
[
0.022878,
0.018808,
0.011747,
0.005706,
0.002183,
0.000534,
6.1e-05,
1.2e-05,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
],
[
0.025094,
0.02359,
0.019998,
0.013835,
0.006582,
0.001817,
0.000321,
7.5e-05,
8e-06,
3e-06,
1e-06,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
],
[
0.024383,
0.026075,
0.027147,
0.02221,
0.012255,
0.004504,
0.001348,
0.000349,
6.1e-05,
2.5e-05,

```

(continues on next page)

(continued from previous page)

```
8e-06,  
2e-06,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0  
],  
[  
0.017162,  
0.021429,  
0.026924,  
0.025626,  
0.01725,  
0.008852,  
0.003661,  
0.001076,  
0.000252,  
9.2e-05,  
2.7e-05,  
6e-06,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0  
],  
[  
0.008432,  
0.013738,  
0.021613,  
0.02418,  
0.019887,  
0.013033,  
0.006651,  
0.002503,  
0.000812,  
0.000255,  
6.3e-05,  
1.9e-05,  
4e-06,  
1e-06,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0  
],  
[  
0.003736,
```

(continues on next page)

(continued from previous page)

```

0.007791,
0.01437,
0.018571,
0.018491,
0.014865,
0.009391,
0.004734,
0.001979,
0.000629,
0.00017,
6.2e-05,
1.9e-05,
6e-06,
2e-06,
1e-06,
1e-06,
0.0,
0.0,
0.0
],
[
0.001699,
0.003707,
0.007467,
0.011553,
0.014397,
0.014112,
0.010869,
0.006905,
0.003605,
0.001505,
0.000575,
0.000218,
7.9e-05,
3.4e-05,
1.7e-05,
1e-05,
4e-06,
1e-06,
0.0,
0.0
],
[
0.000649,
0.001503,
0.003405,
0.006352,
0.009457,
0.010871,
0.010096,
0.007985,
0.005372,
0.00307,
0.001478,
0.000581,
0.000222,
0.000103,

```

(continues on next page)

(continued from previous page)

```

5.3e-05,
3e-05,
1.2e-05,
2e-06,
0.0,
0.0
],
[
0.000253,
0.000604,
0.001471,
0.003029,
0.005049,
0.006871,
0.007949,
0.007848,
0.006588,
0.004633,
0.002576,
0.00113,
0.000463,
0.000197,
9.3e-05,
5e-05,
2e-05,
4e-06,
0.0,
0.0
],
[
9.6e-05,
0.000274,
0.000712,
0.001492,
0.002634,
0.004087,
0.005552,
0.006489,
0.006506,
0.005362,
0.00345,
0.001796,
0.000819,
0.000328,
0.000137,
6.7e-05,
2.5e-05,
6e-06,
1e-06,
0.0
],
[
6.6e-05,
0.000224,
0.000546,
0.000969,
0.001526,

```

(continues on next page)

(continued from previous page)

```

0.002331,
0.003383,
0.004556,
0.005399,
0.005125,
0.003806,
0.00237,
0.001298,
0.000621,
0.000278,
0.000118,
4.5e-05,
1.5e-05,
4e-06,
1e-06
],
[
3.4e-05,
0.000126,
0.000314,
0.000562,
0.000882,
0.001325,
0.001955,
0.002844,
0.003711,
0.003916,
0.003386,
0.002613,
0.001862,
0.001172,
0.000606,
0.000252,
9.8e-05,
3.9e-05,
1.2e-05,
3e-06
],
[
9e-06,
3.3e-05,
0.000107,
0.000275,
0.000523,
0.000781,
0.001072,
0.001508,
0.002033,
0.002423,
0.002583,
0.002548,
0.002296,
0.001748,
0.00103,
0.000478,
0.000199,
7.3e-05,

```

(continues on next page)

(continued from previous page)

```
2.1e-05,  
6e-06  
],  
[  
0.0,  
0.0,  
2.1e-05,  
0.000106,  
0.000244,  
0.00037,  
0.000495,  
0.000703,  
0.001023,  
0.001429,  
0.00186,  
0.002219,  
0.002354,  
0.002059,  
0.001414,  
0.000786,  
0.000357,  
0.00012,  
3e-05,  
8e-06  
],  
[  
0.0,  
0.0,  
6e-06,  
2.8e-05,  
6.6e-05,  
0.000112,  
0.000179,  
0.000309,  
0.000527,  
0.000843,  
0.001243,  
0.001692,  
0.00204,  
0.002018,  
0.001612,  
0.001064,  
0.000557,  
0.000218,  
6.7e-05,  
1.8e-05  
],  
[  
0.0,  
0.0,  
0.0,  
0.0,  
3e-06,  
1.3e-05,  
5.3e-05,  
0.000161,  
0.000337,
```

(continues on next page)

(continued from previous page)

```

0.000537,
0.000769,
0.001088,
0.001424,
0.001582,
0.001485,
0.001178,
0.000762,
0.000404,
0.000178,
7.8e-05
],
[
0.0,
0.0,
0.0,
0.0,
1e-06,
3e-06,
3.4e-05,
0.000143,
0.000303,
0.00041,
0.000468,
0.000594,
0.000806,
0.001025,
0.00116,
0.001107,
0.000884,
0.000635,
0.000444,
0.00035
],
[
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
2.4e-05,
0.000119,
0.000259,
0.000338,
0.000354,
0.0004,
0.000512,
0.000665,
0.000808,
0.000863,
0.000843,
0.000852,
0.00091,
0.000951
],
[

```

(continues on next page)

(continued from previous page)

```

        0.0,
        0.0,
        0.0,
        0.0,
        0.0,
        0.0,
        2e-05,
        0.000101,
        0.000223,
        0.000309,
        0.000345,
        0.000378,
        0.000427,
        0.000485,
        0.000549,
        0.000625,
        0.000753,
        0.001001,
        0.001315,
        0.001501
    ]
],
"Assortivity": {
    "Axes": [
        "LOW",
        "MEDIUM",
        "HIGH"
    ],
    "Group": "INDIVIDUAL_PROPERTY",
    "Property_Name": "Risk",
    "Weighting_Matrix_RowMale_ColumnFemale": [
        [0.6097767084, 0.3902232916, 0],
        [0.3902232916, 0.6097767084, 0.6097767084],
        [0, 0.6097767084, 0.3902232916]
    ]
}
},
"MARITAL": {
    "Relationship_Parameters": {
        "Coital_Act_Rate": 0.33,
        "Condom_Usage_Probability": {
            "Max": 0.223467644,
            "Mid": 1997.7147536264,
            "Min": 0.0,
            "Rate": 2.8631895001
        },
        "Duration_Weibull_Heterogeneity": 0.666666667,
        "Duration_Weibull_Scale": 22.154455184937,
        "Migration_Actions": [
            "TERMINATE"
        ],
        "Migration_Actions_Distribution": [
            1.0
        ]
    },
    "Concurrency_Parameters": {

```

(continues on next page)


```
0.002212,  
0.002054,  
0.001796,  
0.00162,  
0.001472,  
0.001076,  
0.000489,  
9.8e-05,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,
```

(continued from previous page)

```

0.0,
0.0,
0.0,
0.0,
0.0
],
[
0.001684,
0.001953,
0.002461,
0.003028,
0.003301,
0.002735,
0.001514,
0.000551,
0.000155,
3.1e-05,
1e-06,
5e-06,
9e-06,
9e-06,
5e-06,
1e-06,
0.0,
0.0,
0.0,
0.0
],
[
0.00104,
0.001617,
0.002774,
0.004255,
0.005423,
0.005206,
0.003661,
0.001972,
0.000775,
0.000155,
5e-06,
2.4e-05,
4.7e-05,
4.7e-05,
2.4e-05,
5e-06,
0.0,
0.0,
0.0,
0.0
],
[
0.000569,
0.0012,
0.002613,
0.004826,
0.007094,
0.007849,

```

(continues on next page)

(continued from previous page)

```
0.006726,  
0.004557,  
0.002234,  
0.000711,  
0.000183,  
9.2e-05,  
0.000101,  
9.7e-05,  
5e-05,  
1.3e-05,  
2e-06,  
0.0,  
0.0,  
0.0  
],  
[  
0.000339,  
0.00083,  
0.002079,  
0.004396,  
0.007285,  
0.009393,  
0.009818,  
0.008106,  
0.004974,  
0.002315,  
0.000877,  
0.000269,  
0.000126,  
0.000108,  
6.3e-05,  
2.5e-05,  
8e-06,  
2e-06,  
0.0,  
0.0  
],  
[  
0.000293,  
0.00057,  
0.001407,  
0.003244,  
0.006069,  
0.009393,  
0.011954,  
0.011712,  
0.008762,  
0.005333,  
0.002674,  
0.001056,  
0.000371,  
0.000138,  
6.2e-05,  
3.8e-05,  
1.6e-05,  
3e-06,  
0.0,
```

(continues on next page)

(continued from previous page)

```
0.0
],
[
0.000253,
0.000419,
0.00097,
0.002268,
0.004615,
0.008232,
0.012061,
0.013764,
0.01269,
0.00988,
0.00641,
0.003391,
0.001375,
0.000352,
7e-05,
3.9e-05,
1.6e-05,
3e-06,
0.0,
0.0
],
[
0.000159,
0.000333,
0.000802,
0.001727,
0.003427,
0.006363,
0.010138,
0.013505,
0.015301,
0.014457,
0.011223,
0.007178,
0.00356,
0.001263,
0.000358,
8.7e-05,
9e-06,
2e-06,
0.0,
0.0
],
[
7.5e-05,
0.00023,
0.000598,
0.00123,
0.002345,
0.004316,
0.007261,
0.011034,
0.014582,
0.015942,
```

(continues on next page)

(continued from previous page)

```
0.014559,  
0.011288,  
0.007231,  
0.003733,  
0.001443,  
0.000304,  
9e-06,  
2e-06,  
0.0,  
0.0  
],  
[  
2.7e-05,  
0.000102,  
0.0003,  
0.000684,  
0.001367,  
0.002505,  
0.004362,  
0.007309,  
0.010903,  
0.013882,  
0.015276,  
0.014404,  
0.011428,  
0.007354,  
0.003388,  
0.000935,  
0.000171,  
4.6e-05,  
7e-06,  
2e-06  
],  
[  
5e-06,  
2e-05,  
9e-05,  
0.000286,  
0.000658,  
0.001226,  
0.002235,  
0.004148,  
0.007018,  
0.010488,  
0.013644,  
0.01502,  
0.013925,  
0.010445,  
0.005801,  
0.002345,  
0.000792,  
0.000218,  
3.7e-05,  
1e-05  
],  
[  
0.0,
```

(continues on next page)

(continued from previous page)

```
0.0,  
2e-05,  
0.000102,  
0.000273,  
0.000549,  
0.001102,  
0.00226,  
0.004239,  
0.007138,  
0.010432,  
0.012966,  
0.013724,  
0.011826,  
0.007974,  
0.004455,  
0.002233,  
0.000958,  
0.000324,  
9.2e-05  
],  
[  
0.0,  
0.0,  
1.3e-05,  
6.3e-05,  
0.000163,  
0.000314,  
0.000611,  
0.001249,  
0.002433,  
0.004383,  
0.006909,  
0.009408,  
0.011056,  
0.010813,  
0.008887,  
0.006737,  
0.004916,  
0.003067,  
0.001322,  
0.000382  
],  
[  
0.0,  
0.0,  
1.8e-05,  
8.8e-05,  
0.000203,  
0.000312,  
0.000455,  
0.000764,  
0.00138,  
0.002449,  
0.003925,  
0.005568,  
0.00704,  
0.007909,
```

(continues on next page)

(continued from previous page)

```
0.008149,  
0.008144,  
0.007639,  
0.005738,  
0.002924,  
0.001208  
],  
[  
0.0,  
0.0,  
1.8e-05,  
8.8e-05,  
0.000198,  
0.000288,  
0.000365,  
0.000502,  
0.00077,  
0.001238,  
0.001911,  
0.00273,  
0.003684,  
0.0048,  
0.006002,  
0.007105,  
0.00758,  
0.006558,  
0.004455,  
0.0031  
],  
[  
0.0,  
0.0,  
9e-06,  
4.4e-05,  
0.000105,  
0.000175,  
0.000244,  
0.000316,  
0.000417,  
0.000601,  
0.000889,  
0.001276,  
0.001787,  
0.002479,  
0.003318,  
0.004175,  
0.004909,  
0.005365,  
0.00554,  
0.005586  
],  
[  
0.0,  
0.0,  
2e-06,  
1.2e-05,  
3.8e-05,
```

(continues on next page)

(continued from previous page)

```

        9.6e-05,
        0.000173,
        0.000228,
        0.00027,
        0.000355,
        0.000509,
        0.000729,
        0.001011,
        0.001347,
        0.001743,
        0.002217,
        0.002961,
        0.004339,
        0.006055,
        0.007062
    ]
],
"Assortivity": {
    "Axes": [
        "LOW",
        "MEDIUM",
        "HIGH"
    ],
    "Group": "INDIVIDUAL_PROPERTY",
    "Property_Name": "Risk",
    "Weighting_Matrix_RowMale_ColumnFemale": [
        [0.6097767084, 0.3902232916, 0],
        [0.3902232916, 0.6097767084, 0.6097767084],
        [0, 0.6097767084, 0.3902232916]
    ]
}
},
"TRANSITORY": {
    "Relationship_Parameters": {
        "Coital_Act_Rate": 0.33,
        "Condom_Usage_Probability": {
            "Max": 0.6093379311,
            "Mid": 2006.3329995924,
            "Min": 0.0,
            "Rate": 3.0
        },
        "Duration_Weibull_Heterogeneity": 0.833333333,
        "Duration_Weibull_Scale": 0.956774771214,
        "Migration_Actions": [
            "TERMINATE"
        ],
        "Migration_Actions_Distribution": [
            1.0
        ]
    },
    "Concurrency_Parameters": {
        "HIGH": {
            "Max_Simultaneous_Relationships_Female": 1,
            "Max_Simultaneous_Relationships_Male": 1,
            "Prob_Extra_Relationship_Female": 1,
            "Prob_Extra_Relationship_Male": 1
        }
    }
}

```

(continues on next page)

```
    },  
    "LOW": {  
      "Max_Simultaneous_Relationships_Female": 1.5009139604907449,  
      "Max_Simultaneous_Relationships_Male": 1.5009139604907449,  
      "Prob_Extra_Relationship_Female": 0.1370149244245198,  
      "Prob_Extra_Relationship_Male": 0.25977692232616656  
    },  
    "MEDIUM": {  
      "Max_Simultaneous_Relationships_Female": 2.738368682943356,  
      "Max_Simultaneous_Relationships_Male": 2.738368682943356,  
      "Prob_Extra_Relationship_Female": 0.5837316234889807,  
      "Prob_Extra_Relationship_Male": 0.5876342060719743  
    }  
  },  
  "Pair_Formation_Parameters": {  
    "Age_of_First_Bin_Edge_Female": 17.5,  
    "Age_of_First_Bin_Edge_Male": 17.5,  
    "Number_Age_Bins_Female": 20,  
    "Number_Age_Bins_Male": 20,  
    "Update_Period": 7,  
    "Years_Between_Bin_Edges_Female": 2.5,  
    "Years_Between_Bin_Edges_Male": 2.5,  
    "Extra_Relational_Rate_Ratio_Female": 10,  
    "Extra_Relational_Rate_Ratio_Male": 10,  
    "Formation_Rate_Constant": 0.0010478386,  
    "Formation_Rate_Type": "CONSTANT",  
    "Joint_Probabilities": [  
      0.045567,  
      0.035956,  
      0.019793,  
      0.007568,  
      0.002328,  
      0.000551,  
      5.9e-05,  
      1.8e-05,  
      4e-06,  
      1e-06,  
      0.0,  
      0.0,  
      0.0,  
      0.0,  
      0.0,  
      0.0,  
      0.0,  
      0.0,  
      0.0,  
      0.0,  
      0.0  
    ],  
    [  
      0.044738,  
      0.036352,  
      0.021958,  
      0.010123,  
      0.003782,  
      0.001001,  
      0.000184,
```

(continued from previous page)

```

7.3e-05,
2.2e-05,
4e-06,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0
],
[
0.041749,
0.037081,
0.028094,
0.017609,
0.00817,
0.002469,
0.000642,
0.000267,
9e-05,
2.1e-05,
2e-06,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0
],
[
0.034883,
0.034782,
0.032721,
0.025031,
0.013417,
0.004969,
0.001732,
0.000707,
0.000251,
7.9e-05,
1.8e-05,
4e-06,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0

```

(continues on next page)

(continued from previous page)

```
],  
[  
    0.022317,  
    0.025265,  
    0.028532,  
    0.025516,  
    0.016489,  
    0.008321,  
    0.00378,  
    0.001533,  
    0.000572,  
    0.000213,  
    6.2e-05,  
    1.2e-05,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0  
],
```

```
[  
    0.0092,  
    0.013361,  
    0.019412,  
    0.020918,  
    0.016811,  
    0.01101,  
    0.005957,  
    0.002611,  
    0.001029,  
    0.000369,  
    0.000102,  
    2e-05,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0,  
    0.0  
],
```

```
[  
    0.002873,  
    0.006137,  
    0.01134,  
    0.014349,  
    0.013829,  
    0.010947,  
    0.00706,  
    0.00372,  
    0.001602,  
    0.000506,  
    0.000122,
```

(continues on next page)

(continued from previous page)

```

        3.1e-05,
        4e-06,
        1e-06,
        0.0,
        0.0,
        0.0,
        0.0,
        0.0,
        0.0,
        0.0
    ],
    [
        0.00106,
        0.002528,
        0.005183,
        0.007796,
        0.009413,
        0.00922,
        0.007328,
        0.004767,
        0.002392,
        0.000882,
        0.000305,
        0.000121,
        3.8e-05,
        8e-06,
        0.0,
        0.0,
        0.0,
        0.0,
        0.0,
        0.0
    ],
    [
        0.000282,
        0.000827,
        0.002074,
        0.00409,
        0.006305,
        0.007459,
        0.00709,
        0.005534,
        0.003443,
        0.001782,
        0.000873,
        0.000393,
        0.00014,
        3.2e-05,
        2e-06,
        0.0,
        0.0,
        0.0,
        0.0,
        0.0
    ],
    [
        0.000148,
        0.000373,

```

(continues on next page)

(continued from previous page)

```
0.001016,  
0.002362,  
0.004162,  
0.005612,  
0.006176,  
0.005583,  
0.00412,  
0.00263,  
0.001522,  
0.000769,  
0.000319,  
9.7e-05,  
2.1e-05,  
4e-06,  
0.0,  
0.0,  
0.0,  
0.0  
],  
[  
7.7e-05,  
0.000166,  
0.000484,  
0.001276,  
0.002467,  
0.003661,  
0.004442,  
0.004384,  
0.003574,  
0.002614,  
0.0018,  
0.001118,  
0.000585,  
0.000245,  
8.3e-05,  
2e-05,  
2e-06,  
0.0,  
0.0,  
0.0  
],  
[  
9.6e-05,  
0.000144,  
0.000302,  
0.000669,  
0.001252,  
0.001963,  
0.002577,  
0.002736,  
0.002445,  
0.002074,  
0.00175,  
0.001355,  
0.000895,  
0.000496,  
0.000222,
```

(continues on next page)

(continued from previous page)

```

        7.1e-05,
        1.7e-05,
        3e-06,
        0.0,
        0.0
    ],
    [
        0.000219,
        0.000202,
        0.000201,
        0.000291,
        0.00054,
        0.001013,
        0.001555,
        0.001784,
        0.001668,
        0.001522,
        0.001453,
        0.001358,
        0.00117,
        0.000855,
        0.000475,
        0.000195,
        6.3e-05,
        1.3e-05,
        0.0,
        0.0
    ],
    [
        0.00032,
        0.00025,
        0.000144,
        9.7e-05,
        0.000205,
        0.000567,
        0.001037,
        0.00123,
        0.00111,
        0.000997,
        0.001033,
        0.001178,
        0.001296,
        0.00115,
        0.000755,
        0.000381,
        0.00015,
        3.7e-05,
        4e-06,
        1e-06
    ],
    [
        0.000227,
        0.00017,
        7.7e-05,
        1.5e-05,
        5.1e-05,
        0.000253,

```

(continues on next page)

(continued from previous page)

```
0.000535,  
0.000648,  
0.000582,  
0.00056,  
0.000678,  
0.000905,  
0.001125,  
0.001143,  
0.000924,  
0.000598,  
0.000283,  
8.6e-05,  
2.1e-05,  
1e-05  
],  
[  
6.2e-05,  
4.6e-05,  
2.1e-05,  
4e-06,  
1.4e-05,  
6.9e-05,  
0.000146,  
0.000177,  
0.000176,  
0.00024,  
0.000395,  
0.0006,  
0.000804,  
0.000943,  
0.000951,  
0.000756,  
0.000428,  
0.000183,  
8.8e-05,  
6.3e-05  
],  
[  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
0.0,  
1.5e-05,  
7.6e-05,  
0.000194,  
0.000361,  
0.000551,  
0.00072,  
0.000808,  
0.000735,  
0.000536,  
0.000355,  
0.000253,
```

(continues on next page)

(continued from previous page)

```
0.000212
],
[
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
4e-06,
2.1e-05,
7e-05,
0.000186,
0.000351,
0.000496,
0.000586,
0.000621,
0.000607,
0.000555,
0.000489,
0.000451
],
[
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
1.5e-05,
7.7e-05,
0.000184,
0.000305,
0.000424,
0.000543,
0.000649,
0.000717,
0.000746,
0.000754
],
[0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
0.0,
5e-06,
```

(continues on next page)

(continued from previous page)

```

                2.4e-05,
                7.4e-05,
                0.000178,
                0.000331,
                0.0005,
                0.000666,
                0.00082,
                0.000946,
                0.00101
            ]
        ],
        "Assortivity": {
            "Axes": [
                "LOW",
                "MEDIUM",
                "HIGH"
            ],
            "Group": "INDIVIDUAL_PROPERTY",
            "Property_Name": "Risk",
            "Weighting_Matrix_RowMale_ColumnFemale": [
                [0.6097767084, 0.3902232916, 0],
                [0.3902232916, 0.6097767084, 0.6097767084],
                [0, 0.6097767084, 0.3902232916]
            ]
        }
    }
}

def add_society_from_template(demog, key="default"):
    demog.raw['Defaults'].update(deepcopy(societies[key]))

def add_default_society(demog):
    """
    Adds a PFA config based on IDM defaults.
    """
    add_society_from_template(demog)

```

I see lots of HIV_SIM examples. Are there any STI_SIM examples? Not at this time.

I pip installed emodpy-hiv, but I want to make changes. How should I do that? Install at a command prompt using the following:

```
python package_setup.py develop
```

This method is the most popular and proven, though there are some other options. Installing this way means that the emodpy-hiv module in site-packages actually points to the same code as you have checked out in git. For more detail, see this [Stack Overflow post](#).

However, we aim to get the desired changes quickly tested and included in the versioned module we release via pip install.

EMODPY_HIV

3.1 emodpy_hiv package

3.1.1 Subpackages

emodpy_hiv.demographics package

Submodules

emodpy_hiv.demographics.DemographicsTemplates module

```
emodpy_hiv.demographics.DemographicsTemplates.add_society_from_template(demog,  
                                                                           key='default')
```

```
emodpy_hiv.demographics.DemographicsTemplates.add_default_society(demog)
```

Adds a PFA config based on IDM defaults.

emodpy_hiv.demographics.HIVDemographics module

This module contains the classes and functions for creating demographics files for HIV simulations. For more information on EMOD demographics files, see [Demographics file](#).

```
class emodpy_hiv.demographics.HIVDemographics.HIVDemographics(nodes,  
                                                                idref='Gridded  
                                                                world  
                                                                grump2.5arcmin',  
                                                                base_file=None)
```

Bases: `emod_api.demographics.Demographics.Demographics`

This class is derived from `emod_api.demographics.Demographics.Demographics` and sets certain defaults for HIV in construction.

Parameters

- **nodes** – The number of nodes to create.
- **idref** – Method describing how the latitude and longitude values are created for each of the nodes in a simulation. “Gridded world” values use a grid overlaid across the globe at some arcsec resolution. You may also generate the grid using another tool or coordinate system. For more information, see [Metadata](#).

- **base_file** – A basic demographics file used as a starting point for creating more complicated demographics files. For example, using a single node file to create a multi-node file for spatial simulations.
- **init_prev** – The initial HIV prevalence of the population.

Returns None

fertility (*path_to_csv*)

Set fertility based on data. Simulation shall consist of individual pregnancies with rates by woman's age and year-of-simulation using data from provided csv.

mortality (*file_male, file_female, interval_fit=None, which_point='mid', predict_horizon=2050, csv_out=False, n=0, results_scale_factor=0.0027397260273972603*)

For back-compat. This function can go away.

apply_assortivity (*rel_type, matrix=None*)

Add an assortivity matrix to Pair-Forming Algo. Right now only applies to RISK IP.

Parameters

- **rel_type** – “COMMERCIAL”, “INFORMAL”, “MARITAL”, or “TRANSITORY”
- **matrix** – 3x3 matrix of assortivity values, row represents male, column represents female.

Returns N/A.

set_concurrency_params_by_type_and_risk (*rel_type, ip_value, max_simul_rels_male=None, max_simul_rels_female=None, probb_xtra_rel_male=None, probb_xtra_rel_female=None*)

Set concurrent relationship formation params for a given relationship type and risk group.

Parameters

- **rel_type** – Relationship category: “COMMERCIAL”, “MARITAL”, “INFORMAL” or “TRANS”
- **ip_value** – Usually Risk Group but based on defined IP. “High”, “Medium”, or “Low”
- **max_simul_rels_male** – Sets Max_Simultaneous_Relationships_Male.
- **max_simul_rels_female** – Sets Max_Simultaneous_Relationships_Female.
- **probb_xtra_rel_male** – Sets Prob_Extra_Relationship_Male.
- **probb_xtra_rel_female** – Sets Prob_Extra_Relationship_Female.

Returns Nothing.

set_pair_form_params (*rel_type, new_constant_rate=None*)

Set Formation_Rate_Constant value for the specified relationship type.

Parameters

- **rel_type** – Relationship Type. E.g., “MARITAL”
- **new_constant_rate** – New value for Formation_Rate_Constant for the relationship type.

set_coital_act_rate (*rel_type, rate=None*)

Set Coital_Act_Rate value for the specified relationship type.

Parameters

- **rel_type** – Relationship Type. E.g., “MARITAL”
- **rate** – New value for Coital_Act_Rate for the relationship type.

set_condom_usage_probs (*rel_type, min=None, mid=None, max=None, rate=None*)

Set Condom_Usage_Probability values for the specified relationship type using 4 values to configure a sigmoid.

Parameters

- **rel_type** – Relationship Type. E.g., “MARITAL”
- **min** – “Min” (a probability)
- **mid** – “Mid” (a year)
- **max** – “Max” (a probability)
- **rate** – “Rate” (a probability)

set_relationship_duration (*rel_type, weibull_scale=None, weibull_heterogeneity=None*)

Set the Weibull configuration values for the draw that determines the duration of relationships of the specified type.

Parameters

- **rel_type** – Relationship Type. E.g., “MARITAL”
- **weibull_scale** – value of Duration_Weibull_Scale
- **weibull_heterogeneity** – value of Duration_Weibull_Heterogeneity

add_or_update_initial_risk_distribution (*distribution=None*)

```
emodpy_hiv.demographics.HIVDemographics.from_template_node (lat=0, lon=0,
                                                             pop=1000000.0,
                                                             name=1,
                                                             forced_id=1)
```

Create a single-node *HIVDemographics* instance from the parameters you supply.

Parameters

- **lat** – Latitude of the centroid of the node to create.
- **lon** – Longitude of the centroid of the node to create.
- **pop** – Human population of the node.
- **name** – The name of the node. This may be a characteristic of the node, such as “rural” or “urban”, or an identifying integer.
- **forced_id** – The node ID for the single node.

Returns A *HIVDemographics* instance.

```
emodpy_hiv.demographics.HIVDemographics.from_pop_csv (pop_filename_in,
                                                         pop_filename_out='spatial_gridded_pop_dir',
                                                         site='No_Site')
```

Create a multi-node *HIVDemographics* instance from a CSV file describing a population.

Parameters

- **pop_filename_in** – The path to the demographics file to ingest.
- **pop_filename_out** – The path to the file to output.
- **site** – A string to identify the country, village, or trial site.

Returns A *HIVDemographics* instance.

```
emodpy_hiv.demographics.HIVDemographics.from_params (tot_pop=1000000.0,  
                                                    num_nodes=100,  
                                                    frac_rural=0.3,  
                                                    id_ref='from_params')
```

Create a multi-node *HIVDemographics* instance as a synthetic population based on a few parameters.

Parameters

- **tot_pop** – The total human population in the node.
- **num_nodes** – The number of nodes to create.
- **frac_rural** – The fraction of the population that is rural.
- **id_ref** – Method describing how the latitude and longitude values are created for each of the nodes in a simulation. “Gridded world” values use a grid overlaid across the globe at some arcsec resolution. You may also generate the grid using another tool or coordinate system. For more information, see [Metadata](#).

Returns A *HIVDemographics* instance.

emodpy_hiv.interventions package

Submodules

emodpy_hiv.interventions.art module

```
emodpy_hiv.interventions.art.new_intervention (camp)
```

AntiRetroviralTherapy intervention wrapper. Just the intervention. No configuration yet.

```
emodpy_hiv.interventions.art.new_intervention_event (camp, start_day=1, coverage=1.0, node_ids=None)
```

ART intervention as complete (scheduled) event.

```
emodpy_hiv.interventions.art.new_intervention_as_file (camp, start_day, filename=None)
```

emodpy_hiv.interventions.artdropout module

```
emodpy_hiv.interventions.artdropout.new_intervention (camp)
```

ARTDropout intervention wrapper. Just the intervention. No configuration yet.

```
emodpy_hiv.interventions.artdropout.new_intervention_event (camp, start_day=1, coverage=1.0, node_ids=None)
```

ARTDropout intervention as complete (scheduled) event.

```
emodpy_hiv.interventions.artdropout.new_intervention_as_file (camp, start_day, filename=None)
```

emodpy_hiv.interventions.artstagingbycd4agnosticdiag module

```
emodpy_hiv.interventions.artstagingbycd4agnosticdiag.new_diagnostic(camp,
                                                                    Posi-
                                                                    tive_Event,
                                                                    Nega-
                                                                    tive_Event,
                                                                    abp_tvmmap,
                                                                    abt_tvmmap,
                                                                    abw_tvmmap,
                                                                    cua_tvmmap,
                                                                    cbt_tvmmap,
                                                                    cbw_tvmmap)
```

Wrapper function to create and return a HIVARTStagingCD4AgnosticDiagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

```
emodpy_hiv.interventions.artstagingbycd4agnosticdiag.new_intervention_event(camp,
                                                                              pos_event,
                                                                              neg_event,
                                                                              abp_tvmmap,
                                                                              abt_tvmmap,
                                                                              abw_tvmmap,
                                                                              cua_tvmmap,
                                                                              cbt_tvmmap,
                                                                              cbw_tvmmap,
                                                                              start_day=1,
                                                                              cov-
                                                                              er-
                                                                              age=1.0,
                                                                              node_ids=None)
```

Diagnostic as scheduled event.

```
emodpy_hiv.interventions.artstagingbycd4agnosticdiag.new_intervention_as_file(camp,
                                                                                start_day,
                                                                                file-
                                                                                name=None)
```

emodpy_hiv.interventions.artstagingbycd4diag module

```
emodpy_hiv.interventions.artstagingbycd4diag.new_diagnostic(camp,
                                                            Posi-
                                                            tive_Event,
                                                            Neg-
                                                            ative_Event,
                                                            Threshold_TVMap,
                                                            IP_TVMap,
                                                            IAT_TVMap)
```

Wrapper function to create and return a HIVARTStagingByCD4Diagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

```
emodpy_hiv.interventions.artstagingbycd4diag.new_intervention_event (camp,
                                                                    pos_event,
                                                                    neg_event,
                                                                    thresh_tvmmap,
                                                                    preg-
                                                                    nant_tvmmap,
                                                                    tb_tvmmap,
                                                                    start_day=1,
                                                                    cover-
                                                                    age=1.0,
                                                                    node_ids=None)
```

Diagnostic as scheduled event.

```
emodpy_hiv.interventions.artstagingbycd4diag.new_intervention_as_file (camp,
                                                                    start_day,
                                                                    file-
                                                                    name=None)
```

emodpy_hiv.interventions.cascade_helpers module

```
emodpy_hiv.interventions.cascade_helpers.reset (camp)
```

Utility function to clear out the campaign object, mostly useful to test. This function is not auto-imported with the module like the rest of the functions in this submodule. Caller has to explicitly import `emodpy_hiv.interventions.cascade_helpers`. :param camp: `emod_api.campaign` object.

Returns None.

```
emodpy_hiv.interventions.cascade_helpers.seed_infection (camp, timestep, coverage)
```

Seed an infection by time and %age of population infected.

```
emodpy_hiv.interventions.cascade_helpers.add_triggered_event (camp, in_trigger,
                                                                    out_iv, cover-
                                                                    age=1.0, tar-
                                                                    get_sex='All',
                                                                    target_risk="",
                                                                    event_name="")
```

An alias for `triggered_event_common`. Naming things well is hard.

```
emodpy_hiv.interventions.cascade_helpers.triggered_event_common (camp,
                                                                    in_trigger,
                                                                    out_iv, cover-
                                                                    age=1.0, tar-
                                                                    get_sex='All',
                                                                    target_risk="",
                                                                    event_name="")
```

Parameterized utility function used by rest of functions in this submodule that listen for a trigger and distribute an intervention (or list thereof) as a result.

```
emodpy_hiv.interventions.cascade_helpers.add_choice (camp,
                                                                    sympto_signal='HIVSymptomatic',
                                                                    get_tested_signal='GetTested')
```

Listen for HIVSymptomatic trigger. Then toss a coin (Random Choice), heads get tested, tails maybe it's just a cold.

```
emodpy_hiv.interventions.cascade_helpers.add_test (camp,
                                                                    get_tested_signal='GetTested')
```

Listen for GetTested signal. Then get HIV RapidDiagnostic test after a delay of 30 days.

```
emodpy_hiv.interventions.cascade_helpers.trigger_art_from_pos_test(camp, input_signal='HIVPositiveTest',
                                                                    out-
                                                                    put_signal='StartTreatment',
                                                                    lag_time=30)
```

Listen for HIVPositiveTest trigger. Then Trigger ART. Note that Trigger ART isn't same as starting it.

```
emodpy_hiv.interventions.cascade_helpers.add_art_from_trigger(camp, signal='StartTreatment')
```

Actually distribute ART if a StartTreatment signal/trigger is observed. Broadcast a StartedART signal synchronously.

```
emodpy_hiv.interventions.cascade_helpers.trigger_art(camp, timestep, coverage, trigger='StartTreatment')
```

Schedule a broadcast of StartTreatment (or equivalent), not based on any observed signals.

emodpy_hiv.interventions.delay module

```
emodpy_hiv.interventions.delay.new_delay(camp, Bcast_Event, Expire_Event="", Coverage=1, Delay=1, Shelf_Life=36500, Name="")
```

Wrapper function to create and return a HIVDelayedIntervention intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

```
emodpy_hiv.interventions.delay.new_intervention_event(camp, bcast_event, expire_event="", coverage=1,
                                                       delay=1, shelf_life=0)
```

Delay as scheduled event.

```
emodpy_hiv.interventions.delay.new_intervention_as_file(camp, start_day, filename=None)
```

emodpy_hiv.interventions.drawblood module

```
emodpy_hiv.interventions.drawblood.new_diagnostic(camp, Positive_Event,
                                                    Base_Sensitivity=1,
                                                    Base_Specificity=1,
                                                    Days_To_Diagnosis=0, Treatment_Fraction=1)
```

Wrapper function to create and return a HIVDrawBlood intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

```
emodpy_hiv.interventions.drawblood.new_intervention_event(camp, pos_event,
                                                           start_day=1,
                                                           coverage=1.0,
                                                           node_ids=None)
```

Diagnostic as scheduled event.

```
emodpy_hiv.interventions.drawblood.new_intervention_as_file(camp, start_day, filename=None)
```

emodpy_hiv.interventions.malecirc module

`emodpy_hiv.interventions.malecirc.new_intervention(camp)`

MaleCircumcision intervention wrapper. Just the intervention. No configuration yet.

`emodpy_hiv.interventions.malecirc.new_intervention_event(camp, start_day=1, coverage=1.0, node_ids=None)`

VMMC intervention as complete (scheduled) event.

`emodpy_hiv.interventions.malecirc.new_intervention_as_file(camp, start_day, filename=None)`

emodpy_hiv.interventions.modcoinf module

`emodpy_hiv.interventions.modcoinf.new_intervention(camp)`

ModifySTICoInfection intervention wrapper. Just the intervention. No configuration yet.

`emodpy_hiv.interventions.modcoinf.new_intervention_event(camp, start_day=1, coverage=1.0, node_ids=None)`

ModifySTICoInfection intervention as complete (scheduled) event.

`emodpy_hiv.interventions.modcoinf.new_intervention_as_file(camp, start_day, filename=None)`

emodpy_hiv.interventions.outbreak module

`emodpy_hiv.interventions.outbreak.new_intervention(timestep, camp, coverage=0.01)`

Seed HIV infection at a certain timestep, with a certain prevalence.

Parameters

- **timestep** (*float*) – When? Timestep at which outbreak should occur.
- **camp** – `emod_api.campaign` object that has `schema_path`.
- **coverage** – How Much? The intended level of initial prevalence.

Returns event as dict

Return type event

`emodpy_hiv.interventions.outbreak.seed_infections(camp, start_day=365, coverage=0.075, tar-get_properties=None, tar-get_min_age=0, tar-get_max_age=125, tar-get_gender='All')`

Create outbreak event with more targeting than 'new_intervention'.

emodpy_hiv.interventions.pmtct module

`emodpy_hiv.interventions.pmtct.new_intervention(camp, efficacy=1.0)`

PMTCT intervention wrapper. Just the intervention. No configuration yet.

`emodpy_hiv.interventions.pmtct.new_intervention_event(camp, start_day=1, coverage=1.0, node_ids=None)`

PMTCT intervention as complete (scheduled) event.

`emodpy_hiv.interventions.pmtct.new_intervention_as_file(camp, start_day, filename=None)`

emodpy_hiv.interventions.prep module

`emodpy_hiv.interventions.prep.new_intervention(camp)`

PrEP intervention wrapper. Just the intervention. No configuration yet.

`emodpy_hiv.interventions.prep.new_intervention_event(camp, start_day=1, coverage=1.0, node_ids=None)`

PrEP intervention as complete (scheduled) event.

`emodpy_hiv.interventions.prep.new_intervention_as_file(camp, start_day, filename=None)`

emodpy_hiv.interventions.random module

`emodpy_hiv.interventions.random.new_diagnostic(camp, choices)`

Wrapper function to create and return a HIVRandomChoice intervention.

Parameters

- **camp** – `emod_api.campaign` object with `schema_path` set.
- **choices** – dict of events:probability, with probs summing up to 1.0

Returns Schema-based smart dictionary representing a new

Return type `ReadOnlyDict`

`emodpy_hiv.interventions.random.new_intervention_event(camp, choices, start_day=1, coverage=1.0, node_ids=None)`

Diagnostic as scheduled event.

`emodpy_hiv.interventions.random.new_intervention_as_file(camp, start_day, choices, filename=None)`

emodpy_hiv.interventions.rapiddiag module

`emodpy_hiv.interventions.rapiddiag.new_diagnostic(camp, Positive_Event, Negative_Event)`

Wrapper function to create and return a HIVRapidHIVDiagnostic intervention.

Parameters **camp** – `emod_api.campaign` object with `schema_path` set.

Returns Schema-based smart dictionary representing a new

Return type `ReadOnlyDict`

```
emodpy_hiv.interventions.rapiddiag.new_intervention_event (camp,      pos_event,
                                                           neg_event, start_day=1,
                                                           coverage=1.0,
                                                           node_ids=None)
```

Diagnostic as scheduled event.

```
emodpy_hiv.interventions.rapiddiag.new_intervention_as_file (camp, start_day, file-
                                                             name=None)
```

emodpy_hiv.interventions.reftracker module

```
emodpy_hiv.interventions.reftracker.DistributeIVByRefTrack (camp,      Start_Day,
                                                             Intervention, TVMap,
                                                             node_ids=None,
                                                             Event_Name='Scheduled_Campaign_Event',
                                                             Prop-
                                                             erty_Restrictions=None,
                                                             Target_Age_Min=0,
                                                             Tar-
                                                             get_Age_Max=45625,
                                                             Tar-
                                                             get_Gender='All', Up-
                                                             date_Period=None,
                                                             IV_Tracking_Name=None)
```

Wrapper function to create and return a ScheduledCampaignEvent intervention. The alternative to a Scheduled-CampaignEvent is a TriggeredCampaignEvent.

Parameters

- **camp** – emod_api.campaign object with schema_path set.
- **Start_Day** – When to start.
- **Intervention** – Valid intervention to be distributed together as necessary to track coverage targets. Can be single intervention or list (list is useful where you want a co-event). If list, actual intervention should be first.
- **Event_Name** – Name for overall campaign event, of not functional meaning.
- **node_ids** – Nodes to target with this intervention, return from utils.do_nodes().
- **Property_Restrictions** – Individual Properties a person must have to receive the intervention(s).
- **Number_Repetitions** – N/A
- **Timesteps_Between_Repetitions** – N/A
- **Target_Demographic** – Everyone, ExplicitAgeRanges, etc.
- **Target_Age_Min** – Minimum age (in years).
- **Target_Age_Max** – Maximum age (in years).
- **Target_Gender** – All, Male, or Female.
- **Update_Period** – Number representing how frequently the distributions are done.
- **IV_Tracking_Name** – Optional string parameter to distinguish one intervention from another if you're doing multiple campaigns with the same underlying intervention.

Returns Schema-based smart dictionary representing a new ScheduledCampaignEvent intervention ready to be added to a campaign.

Return type ReadOnlyDict

```
emodpy_hiv.interventions.reftracker.new_intervention_as_file(camp,          ac-
                                                             tual_intervention,
                                                             start_day=1,
                                                             filename=None)
```

emodpy_hiv.interventions.sigmoiddiag module

```
emodpy_hiv.interventions.sigmoiddiag.new_diagnostic(camp,  Positive_Event,  Neg-
                                                         ative_Event,          ramp_min,
                                                         ramp_max,          ramp_midyear,
                                                         ramp_rate)
```

Wrapper function to create and return a HIVSigmoidByYearAndSexDiagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

```
emodpy_hiv.interventions.sigmoiddiag.new_intervention_event(camp,  pos_event,
                                                             neg_event,
                                                             ramp_min=0,
                                                             ramp_max=1,
                                                             ramp_midyear=2000,
                                                             ramp_rate=1,
                                                             start_day=1,
                                                             coverage=1.0,
                                                             node_ids=None)
```

Diagnostic as scheduled event.

```
emodpy_hiv.interventions.sigmoiddiag.new_intervention_as_file(camp,  start_day,
                                                             filename=None)
```

emodpy_hiv.interventions.stipostdebut module

```
emodpy_hiv.interventions.stipostdebut.new_diagnostic(camp,  Positive_Event,  Nega-
                                                         tive_Event, Base_Sensitivity=1,
                                                         Base_Specificity=1,
                                                         Days_To_Diagnosis=0, Treat-
                                                         ment_Fraction=1)
```

Wrapper function to create and return a STIIsPostDebut intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

```
emodpy_hiv.interventions.stipostdebut.new_intervention_event(camp,  pos_event,
                                                             neg_event,
                                                             start_day=1,
                                                             coverage=1.0,
                                                             node_ids=None)
```

Diagnostic as scheduled event.

```
emodpy_hiv.interventions.stipostdebut.new_intervention_as_file(camp,  
                                                                start_day, file-  
                                                                name=None)
```

emodpy_hiv.interventions.utils module

```
emodpy_hiv.interventions.utils.set_tvmap_lists_from_map(tvmap, param)  
emodpy_hiv.interventions.utils.declutter(event)  
    These are mostly temporary hacks that clean up the output json; should go away with subsequent cherry-picks  
    of schema enhancements from other branches.  
emodpy_hiv.interventions.utils.broadcast_event_immediate(camp, event_trigger: str  
                                                         = 'Births')  
emodpy_hiv.interventions.utils.broadcast_event_delayed(camp, event_trigger, de-  
                                                         lay=None)
```

emodpy_hiv.interventions.yearandsexdiag module

```
emodpy_hiv.interventions.yearandsexdiag.new_diagnostic(camp, Positive_Event, Nega-  
                                                         tive_Event, TVMap)
```

Wrapper function to create and return a HIVPiecewiseByYearAndSexDiagnostic intervention.

Parameters **camp** – emod_api.campaign object with schema_path set.

Returns Schema-based smart dictionary representing a new

Return type ReadOnlyDict

```
emodpy_hiv.interventions.yearandsexdiag.new_intervention_event(camp,  
                                                                pos_event,  
                                                                neg_event,  
                                                                tvmap,  
                                                                start_day=1,  
                                                                coverage=1.0,  
                                                                node_ids=None)
```

Diagnostic as scheduled event.

```
emodpy_hiv.interventions.yearandsexdiag.new_intervention_as_file(camp,  
                                                                start_day,  
                                                                tvmap, file-  
                                                                name=None)
```

3.1.2 Submodules

emodpy_hiv.download module

```
emodpy_hiv.download.download(experiment_id, local_output_path="", files_to_get=None)  
    Download HIV output file(s) to local disk. Just gets ReportHIVByAgeAndGender.csv. Intended to be used  
    command line: python -m emopyhiv.download <COMPS Experiment ID> <Optional Output Path> <Files To  
    Get> Note that target files need to include “output/” if that’s where they are.
```

emodpy_hiv.utils module

`emodpy_hiv.utils.non_schema_checks` (*config*)

Do additional voluntary checks for config consistency. There's no real fixed list for what should be here.

PYTHON MODULE INDEX

e

- emodpy_hiv, 43
- emodpy_hiv.demographics, 43
- emodpy_hiv.demographics.DemographicsTemplates,
43
- emodpy_hiv.demographics.HIVDemographics,
43
- emodpy_hiv.download, 54
- emodpy_hiv.interventions, 46
- emodpy_hiv.interventions.art, 46
- emodpy_hiv.interventions.artdropout, 46
- emodpy_hiv.interventions.artstagingbycd4agnosticdiag,
47
- emodpy_hiv.interventions.artstagingbycd4diag,
47
- emodpy_hiv.interventions.cascade_helpers,
48
- emodpy_hiv.interventions.delay, 49
- emodpy_hiv.interventions.drawblood, 49
- emodpy_hiv.interventions.malecirc, 50
- emodpy_hiv.interventions.modcoinf, 50
- emodpy_hiv.interventions.outbreak, 50
- emodpy_hiv.interventions.pmtct, 51
- emodpy_hiv.interventions.prep, 51
- emodpy_hiv.interventions.random, 51
- emodpy_hiv.interventions.rapiddiag, 51
- emodpy_hiv.interventions.reftracker, 52
- emodpy_hiv.interventions.sigmoiddiag,
53
- emodpy_hiv.interventions.stipostdebut,
53
- emodpy_hiv.interventions.utils, 54
- emodpy_hiv.interventions.yearandsexdiag,
54
- emodpy_hiv.utils, 55

INDEX

A

`add_art_from_trigger()` (in module `emodpy_hiv.interventions.cascade_helpers`), 49
`add_choice()` (in module `emodpy_hiv.interventions.cascade_helpers`), 48
`add_default_society()` (in module `emodpy_hiv.demographics.DemographicsTemplates`), 43
`add_or_update_initial_risk_distribution()` (in module `emodpy_hiv.demographics.HIVDemographics.HIVDemographics` method), 45
`add_society_from_template()` (in module `emodpy_hiv.demographics.DemographicsTemplates`), 43
`add_test()` (in module `emodpy_hiv.interventions.cascade_helpers`), 48
`add_triggered_event()` (in module `emodpy_hiv.interventions.cascade_helpers`), 48
`apply_assortivity()` (in module `emodpy_hiv.demographics.HIVDemographics.HIVDemographics` method), 44

B

`broadcast_event_delayed()` (in module `emodpy_hiv.interventions.utils`), 54
`broadcast_event_immediate()` (in module `emodpy_hiv.interventions.utils`), 54

D

`declutter()` (in module `emodpy_hiv.interventions.utils`), 54
`DistributeIVByRefTrack()` (in module `emodpy_hiv.interventions.reftracker`), 52
`download()` (in module `emodpy_hiv.download`), 54

E

`emodpy_hiv`
 module, 43
`emodpy_hiv.demographics`
 module, 43
`emodpy_hiv.demographics.DemographicsTemplates`
 module, 43

`emodpy_hiv.demographics.HIVDemographics`
 module, 43
`emodpy_hiv.download`
 module, 54
`emodpy_hiv.interventions`
 module, 46
`emodpy_hiv.interventions.art`
 module, 46
`emodpy_hiv.interventions.artdropout`
 module, 46
`emodpy_hiv.interventions.artstagingbycd4agnosticdi`
 module, 47
`emodpy_hiv.interventions.artstagingbycd4diag`
 module, 47
`emodpy_hiv.interventions.cascade_helpers`
 module, 48
`emodpy_hiv.interventions.delay`
 module, 49
`emodpy_hiv.interventions.drawblood`
 module, 49
`emodpy_hiv.interventions.malecirc`
 module, 50
`emodpy_hiv.interventions.modcoinf`
 module, 50
`emodpy_hiv.interventions.outbreak`
 module, 50
`emodpy_hiv.interventions.pmtct`
 module, 51
`emodpy_hiv.interventions.prep`
 module, 51
`emodpy_hiv.interventions.random`
 module, 51
`emodpy_hiv.interventions.rapiddiag`
 module, 51
`emodpy_hiv.interventions.reftracker`
 module, 52
`emodpy_hiv.interventions.sigmoiddiag`
 module, 53
`emodpy_hiv.interventions.stipostdebut`
 module, 53
`emodpy_hiv.interventions.utils`
 module, 54

emodpy_hiv.interventions.yearandsexdiag
module, 54

emodpy_hiv.utils
module, 55

F

fertility() (*emodpy_hiv.demographics.HIVDemographics.HIVDemographics*
method), 44

from_params() (in module
emodpy_hiv.demographics.HIVDemographics),
46

from_pop_csv() (in module
emodpy_hiv.demographics.HIVDemographics),
45

from_template_node() (in module
emodpy_hiv.demographics.HIVDemographics),
45

H

HIVDemographics (class in
emodpy_hiv.demographics.HIVDemographics),
43

M

module
emodpy_hiv, 43
emodpy_hiv.demographics, 43
emodpy_hiv.demographics.DemographicsTemplate, 43
emodpy_hiv.demographics.HIVDemographics,
43
emodpy_hiv.download, 54
emodpy_hiv.interventions, 46
emodpy_hiv.interventions.art, 46
emodpy_hiv.interventions.artdropout, 46
emodpy_hiv.interventions.artstagingbycd4agnosticdiag,
47
emodpy_hiv.interventions.artstagingbycd4diagnosticdiag,
47
emodpy_hiv.interventions.cascade_helpers, 48
emodpy_hiv.interventions.delay, 49
emodpy_hiv.interventions.drawblood, 49
emodpy_hiv.interventions.malecirc, 50
emodpy_hiv.interventions.modcoinf, 50
emodpy_hiv.interventions.outbreak, 50
emodpy_hiv.interventions.pmtct, 51
emodpy_hiv.interventions.prep, 51
emodpy_hiv.interventions.random, 51
emodpy_hiv.interventions.rapiddiag, 51
emodpy_hiv.interventions.reftracker, 52
emodpy_hiv.interventions.sigmoiddiag, 53
emodpy_hiv.interventions.stipostdebut, 53
emodpy_hiv.interventions.utils, 54
emodpy_hiv.interventions.yearandsexdiag, 54
emodpy_hiv.utils, 55
mortality() (*emodpy_hiv.demographics.HIVDemographics.HIVDemographics*
method), 44

N

new_delay() (in module
emodpy_hiv.interventions.delay), 49
new_diagnostic() (in module
emodpy_hiv.interventions.artstagingbycd4agnosticdiag),
47
new_diagnostic() (in module
emodpy_hiv.interventions.artstagingbycd4diag),
47
new_diagnostic() (in module
emodpy_hiv.interventions.drawblood), 49
new_diagnostic() (in module
emodpy_hiv.interventions.random), 51
new_diagnostic() (in module
emodpy_hiv.interventions.rapiddiag), 51
new_diagnostic() (in module
emodpy_hiv.interventions.sigmoiddiag), 53
new_diagnostic() (in module
emodpy_hiv.interventions.stipostdebut), 53
new_diagnostic() (in module
emodpy_hiv.interventions.yearandsexdiag),
54
new_intervention() (in module
emodpy_hiv.interventions.art), 46
new_intervention() (in module
emodpy_hiv.interventions.artdropout), 46
new_intervention() (in module
emodpy_hiv.interventions.malecirc), 50
new_intervention() (in module
emodpy_hiv.interventions.modcoinf), 50
new_intervention() (in module
emodpy_hiv.interventions.outbreak), 50
new_intervention() (in module
emodpy_hiv.interventions.pmtct), 51
new_intervention() (in module
emodpy_hiv.interventions.prep), 51
new_intervention_as_file() (in module
emodpy_hiv.interventions.art), 46

`new_intervention_as_file()` (in module `emodpy_hiv.interventions.artdropout`), 46
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.artstagingbycd4agnosticdiag`), 47
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.artstagingbycd4diag`), 48
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.delay`), 49
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.drawblood`), 49
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.malecirc`), 50
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.modcoinf`), 50
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.pmtct`), 51
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.prep`), 51
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.random`), 51
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.rapiddiag`), 52
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.reftracker`), 53
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.sigmoiddiag`), 53
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.stipostdebut`), 54
`new_intervention_as_file()` (in module `emodpy_hiv.interventions.yearandsexdiag`), 54
`new_intervention_event()` (in module `emodpy_hiv.interventions.art`), 46
`new_intervention_event()` (in module `emodpy_hiv.interventions.artdropout`), 46
`new_intervention_event()` (in module `emodpy_hiv.interventions.artstagingbycd4agnosticdiag`), 47
`new_intervention_event()` (in module `emodpy_hiv.interventions.artstagingbycd4diag`), 47
`new_intervention_event()` (in module `emodpy_hiv.interventions.delay`), 49
`new_intervention_event()` (in module `emodpy_hiv.interventions.drawblood`), 49
`new_intervention_event()` (in module `emodpy_hiv.interventions.malecirc`), 50
`new_intervention_event()` (in module `emodpy_hiv.interventions.modcoinf`), 50
`new_intervention_event()` (in module `emodpy_hiv.interventions.pmtct`), 51
`new_intervention_event()` (in module `emodpy_hiv.interventions.prep`), 51
`new_intervention_event()` (in module `emodpy_hiv.interventions.random`), 51
`new_intervention_event()` (in module `emodpy_hiv.interventions.rapiddiag`), 52
`new_intervention_event()` (in module `emodpy_hiv.interventions.sigmoiddiag`), 53
`new_intervention_event()` (in module `emodpy_hiv.interventions.stipostdebut`), 53
`new_intervention_event()` (in module `emodpy_hiv.interventions.yearandsexdiag`), 54
`non_schema_checks()` (in module `emodpy_hiv.utils`), 55

R

`reset()` (in module `emodpy_hiv.interventions.cascade_helpers`), 48

S

`seed_infection()` (in module `emodpy_hiv.interventions.cascade_helpers`), 48
`seed_infections()` (in module `emodpy_hiv.interventions.outbreak`), 50
`set_coital_act_rate()` (`emodpy_hiv.demographics.HIVDemographics.HIVDemographic` method), 44
`set_concurrency_params_by_type_and_risk()` (`emodpy_hiv.demographics.HIVDemographics.HIVDemographic` method), 44
`set_condom_usage_probs()` (`emodpy_hiv.demographics.HIVDemographics.HIVDemographic` method), 45
`set_pair_form_params()` (`emodpy_hiv.demographics.HIVDemographics.HIVDemographic` method), 44
`set_relationship_duration()` (`emodpy_hiv.demographics.HIVDemographics.HIVDemographic` method), 45
`set_tvmap_lists_from_map()` (in module `emodpy_hiv.interventions.utils`), 54

T

`trigger_art()` (in module `emodpy_hiv.interventions.cascade_helpers`), 49
`trigger_art_from_pos_test()` (in module `emodpy_hiv.interventions.cascade_helpers`), 48
`triggered_event_common()` (in module `emodpy_hiv.interventions.cascade_helpers`), 48