
emodpy-tbhiv

Institute for Disease Modeling

Jul 12, 2021

CONTENTS

1 Installation	3
2 emodpy_tbhiv	5
2.1 emodpy_tbhiv package	5
2.1.1 Subpackages	5
Python Module Index	13
Index	15

emodpy-tbhiv is a collection of Python scripts and utilities created to streamline user interactions with EMOD and idmtools for modeling measles. Much of the functionality is inherited from the `emod_api` and `emodpy` packages.

Additional information about how to use idmtools can be found at in [Welcome to idmtools](#). Additional information about EMOD TBHIV parameters for modeling tuberculosis can be found in [EMOD parameter reference](#).

**CHAPTER
ONE**

INSTALLATION

You can install emodpy-tbhiv using the instructions in the GitHub repository README.

EMODPY_TBHIV

2.1 emodpy_tbhiv package

The emodpy-tbhiv module is intended to house scripts and tools that enable disease modelers to work more easily with the IDM EMOD TBHIV model.

2.1.1 Subpackages

emodpy_tbhiv.demographics package

Submodules

emodpy_tbhiv.demographics.TBHIVDemographics module

```
class emodpy_tbhiv.demographics.TBHIVDemographics(nodes=None,  
                                                 idref='Gridded  
                                                 world  
                                                 grump2.5arcmin',  
                                                 base_file=None)  
Bases: emod_api.demographics.Demographics.Demographics
```

This class is derived from emod_api.demographics' Demographics class so that we can set certain defaults for TBHIV in construction. Keen observers will note that SetDefaultProperties does not look like a TBHIV-specific function. But as we add other disease types the generalizations and specifics will become clearer. The architectural point is solid.

SetHIVCoInfectionDistribution()

Insert some notion of a default HIVCoInfection distribution.

SetHIVTBCoInfectionMortalityDistribution()

Insert some notion of a default HIVTBCoInfection Mortality distribution.

```
class emodpy_tbhiv.demographics.TBHIVDemographicsWithGenderExtrapolation
```

emodpy_tbhiv

Bases: `emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics`

```
do_extrapolation(add_to_list=True)
makeplots(save=None)
create_json_overlay(template, output_name='Extract_demog.json', csv_out=False, n=0, results_scale_factor=0.0027397260273972603)
```

This almost certainly needs to be refactored to use the base class ‘generate_file’ functionality.

```
emodpy_tbhiv.demographics.TBHIVDemographics.fromBasicNode(lat=0, lon=0,
pop=1000000.0,
name=1,
forced_id=1, implicit_config_fns=None)
```

This function creates a single-node TBHIVDemographics instance from the params you give it.

```
emodpy_tbhiv.demographics.TBHIVDemographics.fromData(pop=1000000.0, file-
name_male='Malawi_male_mortality.csv',
file-
name_female='Malawi_female_mortality.csv')
```

emodpy_tbhiv.interventions package

```
emodpy_tbhiv.interventions.purge_campaign_event(camp_event)
```

Submodules

emodpy_tbhiv.interventions.active_diagnostic module

```
emodpy_tbhiv.interventions.active_diagnostic.ActiveDiagnostic(camp, trigger_treatment_list,
active_sensitivity=1.0,
active_specificity=1.0,
pos_event='TBTestPositive',
treatment_fraction=1,
start_day=0,
duration=-1,
property_restrictions_list=[],
nodeIDs=[],
black_period=0,
black_trigger='Blackout',
event_name='TB Diagnosis Active Simple')
```

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

```
emodpy_tbhiv.interventions.active_diagnostic.new_intervention_as_file(camp,
start_day=1,
file-
name=None)
```

emodpy_tbhiv.interventions.art module

```
emodpy_tbhiv.interventions.art.ART(camp, trigger_treatment_list, start_day=0, duration=-1, property_restrictions_list=[], nodeIDs=[], black_period=0, black_trigger='Blackout', event_name='ART')
:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.art.new_intervention_as_file(camp, filename='art.json')
```

emodpy_tbhiv.interventions.bcg module

```
emodpy_tbhiv.interventions.bcg.BCG(camp, trigger_treatment_list, initial_efficacy=1.0, vaccine_take=1, age_take_decay=1.0, box_duration=365, immune_decay=3650, start_day=0, duration=-1, property_restrictions_list=[], nodeIDs=[], black_period=0, black_trigger='Blackout', event_name='Vaccine Health Seeking')
BCG Vaccine :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.bcg.new_intervention_as_file(camp, filename=None)
```

emodpy_tbhiv.interventions.cd4diag module

```
emodpy_tbhiv.interventions.cd4diag.get_thresh(name, low, high, camp)
emodpy_tbhiv.interventions.cd4diag.get_threshes(group_names, camp)
emodpy_tbhiv.interventions.cd4diag.CD4Diag(camp, trigger_treatment_list,
                                             event_200='Below200',
                                             event_350='Below350',
                                             event_500='Below500',
                                             event_above_500='Above500', start_day=0,
                                             duration=-1, property_restrictions_list=[], nodeIDs=[], black_period=0,
                                             black_trigger='Blackout', event_name='CD4 Diagnostic')
ART :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.cd4diag.new_intervention_as_file(camp, file-name='cd4.json')
```

emodpy_tbhiv.interventions.diag_treat_neg module

```
emodpy_tbhiv.interventions.diag_treat_neg.DiagnosticTreatNeg(camp, trigger_treatment_list,
                                                               base_sensitivity_smearpos=1.0,
                                                               base_sensitivity_smearneg=1.0,
                                                               pos_event='TBTestPositive',
                                                               neg_event='TBTestNegative',
                                                               def_event='TBTestDefault',
                                                               treatment_fraction=1,
                                                               start_day=0,
                                                               duration=- 1, property_restrictions_list=[],
                                                               nodeIDs=[], black_period=0,
                                                               black_trigger='Blackout',
                                                               event_name='TB Diagnosis')

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

emodpy_tbhiv.interventions.diag_treat_neg.new_intervention_as_file(camp, file_name='dtn.json')
```

emodpy_tbhiv.interventions.hiv_diag module

```
emodpy_tbhiv.interventions.hiv_diag.HIVDiagnostic(camp, trigger_treatment_list,
                                                       base_sensitivity=1.0,
                                                       base_specificity=1.0,
                                                       pos_event='HIVTestedPositive',
                                                       neg_event='HIVTestedNegative',
                                                       treatment_fraction=1,
                                                       start_day=0, duration=- 1,
                                                       property_restrictions_list=[],
                                                       nodeIDs=[], black_period=0,
                                                       black_trigger='Blackout',
                                                       event_name='HIV Diagnostic')

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

emodpy_tbhiv.interventions.hiv_diag.new_intervention_as_file(camp, file_name=None)
```

emodpy_tbhiv.interventions.hiv_seeding module

```
emodpy_tbhiv.interventions.hiv_seeding.HIV(camp, time_offset=0, disease='HIV', reps=-1,
                                                interval=1, start_day=0, nodeIDs=[],
                                                event_name='HIV Incidence')

emodpy_tbhiv.interventions.hiv_seeding.new_intervention_as_file(camp, file_name=None)
```

emodpy_tbhiv.interventions.hsb module

```
emodpy_tbhiv.interventions.hsb.HSB(camp, trigger_treatment_list, output_event, probability_per_step=1.0, start_day=0, duration=-1, property_restrictions_list=[], nodeIDs=[], black_period=0, black_trigger='Blackout', event_name='HSB')
:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.hsb.new_intervention_as_file(camp, file-name='hsb_diag.json')
```

emodpy_tbhiv.interventions.ramp_dtn module

```
emodpy_tbhiv.interventions.ramp_dtn.RampDTN(camp, trigger_treatment_list,
ramp_time=30, base_sensitivity_smearpos=1.0, base_sensitivity_smearneg=1.0, base_sensitivity_smearpos2=1.0, base_sensitivity_smearneg2=1.0, treatment_fraction=1.0, treatment_fraction2=1.0, pos_event='TBTestPositive', neg_event='TBTestNegative', faulters_event='TBTestDefault', pos_event2='TBTestPositive', neg_event2='TBTestNegative', faulters_event2='TBTestDefault', start_day=0, duration=-1, property_restrictions_list=[], nodeIDs=[], black_period=0, black_trigger='Blackout', event_name='RampDTN')
:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.ramp_dtn.new_intervention_as_file(camp, file-name='ramp.json')
```

emodpy_tbhiv.interventions.resist_diag module

```
emodpy_tbhiv.interventions.resist_diag.ResistanceDiagnostic(camp, trigger_treatment_list,
                                                               sensitivity=1.0,
                                                               specificity=1.0,
                                                               pos_event='TBMDRTestPositive',
                                                               neg_event='TBMDRTestNegative',
                                                               def_event='TBMDRTestDefault',
                                                               treatment_fraction=1,
                                                               treatment_fraction_negative_test=1,
                                                               start_day=0,
                                                               duration=- 1, property_restrictions_list=[],
                                                               nodeIDs=[], black_period=0,
                                                               black_trigger='Blackout',
                                                               event_name='TB Diagnosis MDR')

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

emodpy_tbhiv.interventions.resist_diag.new_intervention_as_file(camp, file_name='resist_diag.json')
```

emodpy_tbhiv.interventions.smear_diag module

```
emodpy_tbhiv.interventions.smear_diag.SmearDiagnostic(camp, trigger_treatment_list,
                                                       base_sensitivity_smearpos=1.0,
                                                       base_sensitivity_smearneg=1.0,
                                                       pos_event='TestPositiveOnSmear',
                                                       treatment_fraction=1,
                                                       start_day=0, duration=- 1,
                                                       property_restrictions_list=[],
                                                       nodeIDs=[], black_period=0,
                                                       black_trigger='Blackout',
                                                       event_name='TB Diagnosis Smear Simple')

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

emodpy_tbhiv.interventions.smear_diag.new_intervention_as_file(camp, file_name='smear_diag.json')
```

emodpy_tbhiv.interventions.tb_treat_basic module

```
emodpy_tbhiv.interventions.tb_treat_basic.TBDrugTreatment(camp, trig-  
ger_treatment_list,  
drug_name='DOTS',  
inactivation_rate=0,  
mortality_rate=0,  
clearance_rate=0,  
resistance_rate=0,  
relapse_rate=0, re-  
duced_transmit=1.0,  
start_day=0, treat-  
ment_duration=180,  
duration=- 1, prop-  
erty_restrictions_list=[],  
nodeIDs=[],  
black_period=0,  
black_trigger='Blackout',  
event_name='TBDrugTreatment')  
:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation  
emodpy_tbhiv.interventions.tb_treat_basic.new_intervention_as_file(camp, file-  
name=None)
```

emodpy_tbhiv.interventions.tbhiv_treat module

```
emodpy_tbhiv.interventions.tbhiv_treat.TBHIVDrugTreatment(camp, trig-  
ger_treatment_list,  
drug_name, lat-  
tent_multiplier=1.0,  
active_multiplier=1.0,  
start_day=0,  
duration=- 1, prop-  
erty_restrictions_list=[],  
nodeIDs=[],  
black_period=0,  
black_trigger='Blackout',  
event_name='TBHIVDrugTreatment')  
:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation  
emodpy_tbhiv.interventions.tbhiv_treat.new_intervention_as_file(camp, file-  
name='tb_drug_treat.json')
```

emodpy_tbhiv.interventions.triggered_pvc module

```
emodpy_tbhiv.interventions.triggered_pvc.TPVC(camp, trigger_treatment_list, property_to_change, final_prop_value, revert=0, daily_prob=1, start_day=0, duration=- 1, property_restrictions_list=[], nodeIDs=[], black_period=0, black_trigger='Blackout', event_name='PropertyValueChanger')
```

Triggered Property Value Changer :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

```
emodpy_tbhiv.interventions.triggered_pvc.new_intervention_as_file(camp, file_name='tpvc.json')
```

emodpy_tbhiv.interventions.vaccine module

```
emodpy_tbhiv.interventions.vaccine.Vaccine(camp, trigger_treatment_list, initial_efficacy=1.0, vaccine_take=1, vtype='AcquisitionBlocking', box_duration=365, immune_decay=3650, start_day=0, duration=- 1, property_restrictions_list=[], nodeIDs=[], black_period=0, black_trigger='Blackout', event_name='Vaccine')
```

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

```
emodpy_tbhiv.interventions.vaccine.new_intervention_as_file(camp, file_name='vaccine.json')
```

emodpy_tbhiv.reporters package**Submodules****emodpy_tbhiv.reporters.plugin module**

```
class emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge(name: str = 'Report_TBHIV_ByAge', Enabled: bool = True, Reports: list = <factory>, dll_file: str = 'lib_customreport_TBHIV_ReportByAge.dll')  
Bases: emodpy.reporters.base.CustomReporter  
name: str = 'Report_TBHIV_ByAge'  
dll_file: str = 'lib_customreport_TBHIV_ReportByAge.dll'  
configure_report(max_age_yrs, min_age_yrs, start_year, stop_year, events=None)
```

PYTHON MODULE INDEX

e

```
emodpy_tbhiv, 5
emodpy_tbhiv.demographics, 5
emodpy_tbhiv.demographics.TBHIVDemographics,
    5
emodpy_tbhiv.interventions, 6
emodpy_tbhiv.interventions.active_diagnostic,
    6
emodpy_tbhiv.interventions.art, 7
emodpy_tbhiv.interventions.bcg, 7
emodpy_tbhiv.interventions.cd4diag, 7
emodpy_tbhiv.interventions.diag_treat_neg,
    8
emodpy_tbhiv.interventions.hiv_diag, 8
emodpy_tbhiv.interventions.hiv_seeding,
    8
emodpy_tbhiv.interventions.hsb, 9
emodpy_tbhiv.interventions.ramp_dtn, 9
emodpy_tbhiv.interventions.resist_diag,
    10
emodpy_tbhiv.interventions.smear_diag,
    10
emodpy_tbhiv.interventions.tb_treat_basic,
    11
emodpy_tbhiv.interventions.tbhiv_treat,
    11
emodpy_tbhiv.interventions.triggered_pvc,
    12
emodpy_tbhiv.interventions.vaccine, 12
emodpy_tbhiv.reporters, 12
emodpy_tbhiv.reporters.plugin, 12
```


INDEX

A

ActiveDiagnostic() (in module *emodpy_tbhiv.interventions.active_diagnostic*), 6
ART() (in module *emodpy_tbhiv.interventions.art*), 7

B

BCG() (in module *emodpy_tbhiv.interventions.bcg*), 7

C

CD4Diag() (in module *emodpy_tbhiv.interventions.cd4diag*), 7
configure_report() (in *emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge* module), 12
create_json_overlay() (in *emodpy_tbhiv.demographics.TBHIVDemographics* module), 6

D

DiagnosticTreatNeg() (in module *emodpy_tbhiv.interventions.diag_treat_neg*), 8
dll_file(emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge attribute), 12
do_extrapolation() (in *emodpy_tbhiv.demographics.TBHIVDemographics* module), 6

E

emodpy_tbhiv module, 5
emodpy_tbhiv.demographics module, 5
emodpy_tbhiv.demographics.TBHIVDemographics module, 5
emodpy_tbhiv.interventions module, 6
emodpy_tbhiv.interventions.active_diagnostic module, 6
emodpy_tbhiv.interventions.art module, 7
emodpy_tbhiv.interventions.bcg

module, 7
emodpy_tbhiv.interventions.cd4diag module, 7
emodpy_tbhiv.interventions.diag_treat_neg module, 8
emodpy_tbhiv.interventions.hiv_diag module, 8
emodpy_tbhiv.interventions.hiv_seeding module, 8
emodpy_tbhiv.interventions.hsb module, 9
emodpy_tbhiv.interventions.ramp_dtn module, 9
emodpy_tbhiv.interventions.resist_diag module, 10
emodpy_tbhiv.interventions.smear_diag module, 10
emodpy_tbhiv.demographicsWithGenderExtrapolation module, 10
emodpy_tbhiv.interventions.tb_treat_basic module, 11
emodpy_tbhiv.interventions.tbhiv_treat module, 11
emodpy_tbhiv.interventions.triggered_pvc module, 12
emodpy_tbhiv.interventions.vaccine module, 12
emodpy_tbhiv.reporters module, 12
emodpy_tbhiv.reporters.plugin module, 12

F

fromBasicNode() (in module *emodpy_tbhiv.demographics.TBHIVDemographics*), 6
fromSmData() (in module *emodpy_tbhiv.demographics.TBHIVDemographics*), 6

G

get_thresh() (in module *emodpy_tbhiv.interventions.cd4diag*), 7
get_threshes() (in module *emodpy_tbhiv.interventions.cd4diag*), 7

H

HIV () (in module `emodpy_tbhiv.interventions.hiv_seeding`),
8
HIVDiagnostic() (in module `emodpy_tbhiv.interventions.hiv_diag`), 8
HSB () (in module `emodpy_tbhiv.interventions.hsb`), 9

M

makeplots () (emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographicsWithGenderExtrapolation method), 6
module
emodpy_tbhiv, 5
emodpy_tbhiv.demographics, 5
emodpy_tbhiv.demographics.TBHIVDemographics, 5
emodpy_tbhiv.interventions, 6
emodpy_tbhiv.interventions.active_diagnostic, 6
emodpy_tbhiv.interventions.art, 7
emodpy_tbhiv.interventions.bcg, 7
emodpy_tbhiv.interventions.cd4diag, 7
emodpy_tbhiv.interventions.diag_treat_neg, 8
emodpy_tbhiv.interventions.hiv_diag, 8
emodpy_tbhiv.interventions.hiv_seeding, 8
emodpy_tbhiv.interventions.hsb, 9
emodpy_tbhiv.interventions.ramp_dtn, 9
emodpy_tbhiv.interventions.tb_treat_basic, 11
emodpy_tbhiv.interventions.tbhiv_treat, 11
new intervention_as_file() (in module emodpy_tbhiv.interventions.triggered_pvc), 12
new intervention_as_file() (in module emodpy_tbhiv.interventions.vaccine), 12

emodpy_tbhiv.interventions.hiv_seeding, 8

emodpy_tbhiv.interventions.hsb, 9
emodpy_tbhiv.interventions.ramp_dtn, 9

emodpy_tbhiv.interventions.resist_diag, 10
RampDTN() (in module emodpy_tbhiv.interventions.ramp_dtn), 9

emodpy_tbhiv.interventions.smear_diag, 10
Report_TBHIV_ByAge (class in emodpy_tbhiv.reporters.plugin), 12

emodpy_tbhiv.interventions.tb_treat_basic, 11
ResistanceDiagnostic() (in module emodpy_tbhiv.interventions.resist_diag), 10

emodpy_tbhiv.interventions.tbhiv_treat, 11
triggered_pvc, 12

emodpy_tbhiv.interventions.vaccine, 12
SetHIVCoInfectionDistribution() (emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics method), 5

emodpy_tbhiv.reporters, 12
emodpy_tbhiv.reporters.plugin, 12
SetHIVTBCoInfectionMortalityDistribution() (emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics method), 5

N

name (emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge attribute), 12
smearDiagnostic() (in module emodpy_tbhiv.interventions.smear_diag), 10

new_intervention_as_file() (in module emodpy_tbhiv.interventions.active_diagnostic), 6

new_intervention_as_file() (in module emodpy_tbhiv.interventions.art), 7

new_intervention_as_file() (in module emodpy_tbhiv.interventions.bcg), 7

new_intervention_as_file() (in module emodpy_tbhiv.interventions.cd4diag), 7
new_intervention_as_file() (in module emodpy_tbhiv.interventions.diag_treat_neg), 8

new_intervention_as_file() (in module emodpy_tbhiv.interventions.hiv_diag), 8
new_intervention_as_file() (in module emodpy_tbhiv.interventions.hiv_seeding), 8

new_intervention_as_file() (in module emodpy_tbhiv.interventions.hsb), 9
new_intervention_as_file() (in module emodpy_tbhiv.interventions.ramp_dtn), 9

new_intervention_as_file() (in module emodpy_tbhiv.interventions.smear_diag), 10
new_intervention_as_file() (in module emodpy_tbhiv.interventions.tb_treat_basic), 11

new_intervention_as_file() (in module emodpy_tbhiv.interventions.tbhiv_treat), 11
new_intervention_as_file() (in module emodpy_tbhiv.interventions.triggered_pvc), 12

new_intervention_as_file() (in module emodpy_tbhiv.interventions.vaccine), 12

P

purge_campaign_event() (in module emodpy_tbhiv.interventions), 6

R

RampDTN() (in module emodpy_tbhiv.interventions.ramp_dtn), 9

Report_TBHIV_ByAge (class in emodpy_tbhiv.reporters.plugin), 12

ResistanceDiagnostic() (in module emodpy_tbhiv.interventions.resist_diag), 10

S

SetHIVCoInfectionDistribution() (emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics method), 5

SetHIVTBCoInfectionMortalityDistribution() (emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics method), 5

T

TBDrugTreatment() (in module emodpy_tbhiv.interventions.tb_treat_basic), 11

TBHIVDemographics (class in
emodpy_tbhiv.demographics.TBHIVDemographics),
5
TBHIVDemographicsWithGenderExtrapolation
(class in emodpy_tbhiv.demographics.TBHIVDemographics),
5
TBHIVDrugTreatment () (in module
emodpy_tbhiv.interventions.tbhiv_treat),
11
TPVC () (in module emodpy_tbhiv.interventions.triggered_pvc),
12

V

Vaccine () (in module
emodpy_tbhiv.interventions.vaccine), 12