
emodpy-tbhiv

Institute for Disease Modeling

Jul 15, 2021

CONTENTS

1	Installation	3
2	emodpy_tbhiv	5
2.1	emodpy_tbhiv package	5
2.1.1	Subpackages	5
	Python Module Index	13
	Index	15

emodpy-tbhiv is a collection of Python scripts and utilities created to streamline user interactions with EMOD and idmtools for modeling measles. Much of the functionality is inherited from the [emod_api](#) and [emodpy](#) packages.

Additional information about how to use idmtools can be found at in [Welcome to idmtools](#). Additional information about EMOD TBHIV parameters for modeling tuberculosis can be found in [EMOD parameter reference](#).

INSTALLATION

You can install emodpy-tbhiv using the instructions in the GitHub repository README.

EMODPY_TBHIV

2.1 emodpy_tbhiv package

The emodpy-tbhiv module is intended to house scripts and tools that enable disease modelers to work more easily with the IDM EMOD TBHIV model.

2.1.1 Subpackages

emodpy_tbhiv.demographics package

Submodules

emodpy_tbhiv.demographics.TBHIVDemographics module

```
class emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics(nodes=None,  
                                                                    idref='Gridded  
                                                                    world  
                                                                    grump2.5arcmin',  
                                                                    base_file=None)
```

Bases: `emod_api.demographics.Demographics.Demographics`

This class is derived from emod_api.demographics' Demographics class so that we can set certain defaults for TBHIV in construction. Keen observers will note thatt SetDefaultProperties does not look like a TBHIV-specific function. But as we add other disease types the generatlizations and speicfics will become clearer. The architectural point is solid.

SetHIVCoInfectionDistribution()

Insert some notion of a default HIVCoInfection distribution.

SetHIVTBCoInfectionMortalityDistribution()

Insert some notion of a default HIVTBCoInfection Mortality distribution.

```
class emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographicsWithGenderExtrapolation
```

Bases: `emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics`

do_extrapolation (*add_to_list=True*)

makeplots (*save=None*)

create_json_overlay (*template, output_name='Extract_demog.json', csv_out=False, n=0, results_scale_factor=0.0027397260273972603*)

This almost certainly needs to be refactored to use the base class 'generate_file' functionality.

```
emodpy_tbhiv.demographics.TBHIVDemographics.fromBasicNode (lat=0, lon=0,
                                                             pop=1000000.0,
                                                             name=1,
                                                             forced_id=1, im-
                                                             plicit_config_fns=None)
```

This function creates a single-node TBHIVDemographics instance from the params you give it.

```
emodpy_tbhiv.demographics.TBHIVDemographics.fromData (pop=1000000.0, file-
                                                         name_male='Malawi_male_mortality.csv',
                                                         file-
                                                         name_female='Malawi_female_mortality.csv')
```

emodpy_tbhiv.interventions package

```
emodpy_tbhiv.interventions.purge_campaign_event (camp_event)
```

Submodules

emodpy_tbhiv.interventions.active_diagnostic module

```
emodpy_tbhiv.interventions.active_diagnostic.ActiveDiagnostic (camp, trigger_treatment_list,
                                                                    ac-
                                                                    tive_sensitivity=1.0,
                                                                    ac-
                                                                    tive_specificity=1.0,
                                                                    pos_event='TBTestPositive',
                                                                    treat-
                                                                    ment_fraction=1,
                                                                    start_day=0,
                                                                    duration=-
                                                                    1, prop-
                                                                    erty_restrictions_list=[],
                                                                    nodeIDs=[],
                                                                    black_period=0,
                                                                    black_trigger='Blackout',
                                                                    event_name='TB
                                                                    Diagnosis Active
                                                                    Simple')
```

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

```
emodpy_tbhiv.interventions.active_diagnostic.new_intervention_as_file (camp,
                                                                           start_day=1,
                                                                           file-
                                                                           name=None)
```

emodpy_tbhiv.interventions.art module

```
emodpy_tbhiv.interventions.art.ART(camp, trigger_treatment_list, start_day=0, duration=-
    1, property_restrictions_list=[], nodeIDs=[],
    black_period=0, black_trigger='Blackout',
    event_name='ART')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.art.new_intervention_as_file(camp, filename='art.json')
```

emodpy_tbhiv.interventions.bcg module

```
emodpy_tbhiv.interventions.bcg.BCG(camp, trigger_treatment_list, initial_efficacy=1.0, vac-
    cine_take=1, age_take_decay=1.0, box_duration=365,
    immune_decay=3650, start_day=0, duration=- 1, prop-
    erty_restrictions_list=[], nodeIDs=[], black_period=0,
    black_trigger='Blackout', event_name='Vaccine Health
    Seeking')
    BCG Vaccine :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of
    the simulation
emodpy_tbhiv.interventions.bcg.new_intervention_as_file(camp, filename=None)
```

emodpy_tbhiv.interventions.cd4diag module

```
emodpy_tbhiv.interventions.cd4diag.get_thresh(name, low, high, camp)
emodpy_tbhiv.interventions.cd4diag.get_threshes(group_names, camp)
emodpy_tbhiv.interventions.cd4diag.CD4Diag(camp, trigger_treatment_list,
    event_200='Below200',
    event_350='Below350',
    event_500='Below500',
    event_above_500='Above500', start_day=0,
    duration=- 1, property_restrictions_list=[],
    nodeIDs=[], black_period=0,
    black_trigger='Blackout', event_name='CD4
    Diagnostic')
    ART :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simula-
    tion
emodpy_tbhiv.interventions.cd4diag.new_intervention_as_file(camp, file-
    name='cd4.json')
```

emodpy_tbhiv.interventions.diag_treat_neg module

```
emodpy_tbhiv.interventions.diag_treat_neg.DiagnosticTreatNeg(camp,          trigger_treatment_list,
                                                             base_sensitivity=1.0,
                                                             base_sensitivity_smeapos=1.0,
                                                             base_sensitivity_smeaneg=1.0,
                                                             pos_event='TBTestPositive',
                                                             neg_event='TBTestNegative',
                                                             def_event='TBTestDefault',
                                                             treat-
                                                             ment_fraction=1,
                                                             start_day=0,
                                                             duration=- 1, prop-
                                                             erty_restrictions_list=[],
                                                             nodeIDs=[],
                                                             black_period=0,
                                                             black_trigger='Blackout',
                                                             event_name='TB
                                                             Diagnosis')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.diag_treat_neg.new_intervention_as_file(camp, file-
                                                             name='dtn.json')
```

emodpy_tbhiv.interventions.hiv_diag module

```
emodpy_tbhiv.interventions.hiv_diag.HIVDiagnostic(camp,          trigger_treatment_list,
                                                             base_sensitivity=1.0,
                                                             base_specificity=1.0,
                                                             pos_event='HIVTestedPositive',
                                                             neg_event='HIVTestedNegative',
                                                             treatment_fraction=1,
                                                             start_day=0,          duration=- 1,
                                                             property_restrictions_list=[],
                                                             nodeIDs=[],          black_period=0,
                                                             black_trigger='Blackout',
                                                             event_name='HIV Diagnostic')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.hiv_diag.new_intervention_as_file(camp,          file-
                                                             name=None)
```

emodpy_tbhiv.interventions.hiv_seeding module

```
emodpy_tbhiv.interventions.hiv_seeding.HIV(camp, time_offset=0, disease='HIV', reps=-
    1, interval=1, start_day=0, nodeIDs=[],
    event_name='HIV Incidence')
emodpy_tbhiv.interventions.hiv_seeding.new_intervention_as_file(camp,          file-
                                                             name='hiv.json')
```

emodpy_tbhiv.interventions.hsb module

```
emodpy_tbhiv.interventions.hsb.HSB(camp, trigger_treatment_list, output_event, probability_per_step=1.0, start_day=0, duration=- 1, property_restrictions_list=[], nodeIDs=[], black_period=0, black_trigger='Blackout', event_name='HSB')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.hsb.new_intervention_as_file(camp, file_name='hsb_diag.json')
```

emodpy_tbhiv.interventions.ramp_dtn module

```
emodpy_tbhiv.interventions.ramp_dtn.RampDTN(camp, trigger_treatment_list,
    ramp_time=30,
    base_sensitivity_smearpos=1.0,
    base_sensitivity_smearneg=1.0,
    base_sensitivity_smearpos2=1.0,
    base_sensitivity_smearneg2=1.0,
    treatment_fraction=1.0,
    treatment_fraction2=1.0,
    pos_event='TBTestPositive',
    neg_event='TBTestNegative',
    faulters_event='TBTestDefault',
    pos_event2='TBTestPositive',
    neg_event2='TBTestNegative',
    faulters_event2='TBTestDefault',
    start_day=0, duration=- 1, property_restrictions_list=[], nodeIDs=[],
    black_period=0, black_trigger='Blackout',
    event_name='RampDTN')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.ramp_dtn.new_intervention_as_file(camp, file_name='ramp.json')
```

emodpy_tbhiv.interventions.resist_diag module

```
emodpy_tbhiv.interventions.resist_diag.ResistanceDiagnostic(camp, trigger_treatment_list,
                                                             sensitivity=1.0,
                                                             specificity=1.0,
                                                             pos_event='TBMDRTestPositive',
                                                             neg_event='TBMDRTestNegative',
                                                             def_event='TBMDRTestDefault',
                                                             treatment_fraction=1,
                                                             treatment_fraction_negative_test=1,
                                                             start_day=0,
                                                             duration=- 1, property_restrictions_list=[],
                                                             nodeIDs=[],
                                                             black_period=0,
                                                             black_trigger='Blackout',
                                                             event_name='TB Diagnosis MDR')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.resist_diag.new_intervention_as_file(camp, filename='resist_diag.json')
```

emodpy_tbhiv.interventions.smear_diag module

```
emodpy_tbhiv.interventions.smear_diag.SmearDiagnostic(camp, trigger_treatment_list,
                                                         base_sensitivity_smearpos=1.0,
                                                         base_sensitivity_smearneg=1.0,
                                                         pos_event='TestPositiveOnSmear',
                                                         treatment_fraction=1,
                                                         start_day=0, duration=- 1,
                                                         property_restrictions_list=[],
                                                         nodeIDs=[], black_period=0,
                                                         black_trigger='Blackout',
                                                         event_name='TB Diagnosis Smear Simple')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.smear_diag.new_intervention_as_file(camp, filename='smear_diag.json')
```

emodpy_tbhiv.interventions.tb_treat_basic module

```
emodpy_tbhiv.interventions.tb_treat_basic.TBDrugTreatment (camp,          trig-
                                                             ger_treatment_list,
                                                             drug_name='DOTS',
                                                             inactivation_rate=0,
                                                             mortality_rate=0,
                                                             clearance_rate=0,
                                                             resistance_rate=0,
                                                             relapse_rate=0,      re-
                                                             duced_transmit=1.0,
                                                             start_day=0,      treat-
                                                             ment_duration=180,
                                                             duration=- 1, prop-
                                                             erty_restrictions_list=[],
                                                             nodeIDs=[],
                                                             black_period=0,
                                                             black_trigger='Blackout',
                                                             event_name='TBDrugTreatment')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.tb_treat_basic.new_intervention_as_file (camp, file-
                                                                    name=None)
```

emodpy_tbhiv.interventions.tbhiv_treat module

```
emodpy_tbhiv.interventions.tbhiv_treat.TBHIVDrugTreatment (camp,          trig-
                                                             ger_treatment_list,
                                                             drug_name,          la-
                                                             tent_multiplier=1.0,
                                                             active_multiplier=1.0,
                                                             start_day=0,
                                                             duration=- 1, prop-
                                                             erty_restrictions_list=[],
                                                             nodeIDs=[],
                                                             black_period=0,
                                                             black_trigger='Blackout',
                                                             event_name='TBHIVDrugTreatment')
    :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation
emodpy_tbhiv.interventions.tbhiv_treat.new_intervention_as_file (camp,      file-
                                                                    name='tb_drug_treat.json')
```

emodpy_tbhiv.interventions.triggered_pvc module

```
emodpy_tbhiv.interventions.triggered_pvc.TPVC(camp, trigger_treatment_list, prop-
erty_to_change, final_prop_value,
revert=0, daily_prob=1,
start_day=0, duration=-1,
property_restrictions_list=[],
nodeIDs=[], black_period=0,
black_trigger='Blackout',
event_name='PropertyValueChanger')
```

Triggered Property Value Changer :param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

```
emodpy_tbhiv.interventions.triggered_pvc.new_intervention_as_file(camp, file-
name='tpvc.json')
```

emodpy_tbhiv.interventions.vaccine module

```
emodpy_tbhiv.interventions.vaccine.Vaccine(camp, trigger_treatment_list, ini-
tial_efficacy=1.0, vaccine_take=1,
vtype='AcquisitionBlocking',
box_duration=365, immune_decay=3650,
start_day=0, duration=-1, prop-
erty_restrictions_list=[], nodeIDs=[],
black_period=0, black_trigger='Blackout',
event_name='Vaccine')
```

:param TBD Note start_day is initialized as 1, recommend that this be aligned with the start of the simulation

```
emodpy_tbhiv.interventions.vaccine.new_intervention_as_file(camp, file-
name='vaccine.json')
```

emodpy_tbhiv.reporters package

Submodules

emodpy_tbhiv.reporters.plugin module

```
class emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge(name: str = 'Re-
port_TBHIV_ByAge',
Enabled: bool = True,
Reports: list = <fac-
tory>, dll_file: str =
'lib_customreport_TBHIV_ReportByAge.dll')
```

Bases: `emodpy.reporters.base.CustomReporter`

name: str = 'Report_TBHIV_ByAge'

dll_file: str = 'lib_customreport_TBHIV_ReportByAge.dll'

configure_report (max_age_yrs, min_age_yrs, start_year, stop_year, events=None)

PYTHON MODULE INDEX

e

- [emodpy_tbhiv](#), 5
- [emodpy_tbhiv.demographics](#), 5
- [emodpy_tbhiv.demographics.TBHIVDemographics](#), 5
- [emodpy_tbhiv.interventions](#), 6
- [emodpy_tbhiv.interventions.active_diagnostic](#), 6
- [emodpy_tbhiv.interventions.art](#), 7
- [emodpy_tbhiv.interventions.bcg](#), 7
- [emodpy_tbhiv.interventions.cd4diag](#), 7
- [emodpy_tbhiv.interventions.diag_treat_neg](#), 8
- [emodpy_tbhiv.interventions.hiv_diag](#), 8
- [emodpy_tbhiv.interventions.hiv_seeding](#), 8
- [emodpy_tbhiv.interventions.hsb](#), 9
- [emodpy_tbhiv.interventions.ramp_dtn](#), 9
- [emodpy_tbhiv.interventions.resist_diag](#), 10
- [emodpy_tbhiv.interventions.smear_diag](#), 10
- [emodpy_tbhiv.interventions.tb_treat_basic](#), 11
- [emodpy_tbhiv.interventions.tbhiv_treat](#), 11
- [emodpy_tbhiv.interventions.triggered_pvc](#), 12
- [emodpy_tbhiv.interventions.vaccine](#), 12
- [emodpy_tbhiv.reporters](#), 12
- [emodpy_tbhiv.reporters.plugin](#), 12

A

ActiveDiagnostic() (in module *emodpy_tbhiv.interventions.active_diagnostic*), 6
 ART() (in module *emodpy_tbhiv.interventions.art*), 7

B

BCG() (in module *emodpy_tbhiv.interventions.bcg*), 7

C

CD4Diag() (in module *emodpy_tbhiv.interventions.cd4diag*), 7
 configure_report() (in module *emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge* method), 12
 create_json_overlay() (in module *emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographicsWithGenderExtrapolation* method), 6

D

DiagnosticTreatNeg() (in module *emodpy_tbhiv.interventions.diag_treat_neg*), 8
 dll_file() (in module *emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge* attribute), 12
 do_extrapolation() (in module *emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographicsWithGenderExtrapolation* method), 6

E

emodpy_tbhiv module, 5
 emodpy_tbhiv.demographics module, 5
 emodpy_tbhiv.demographics.TBHIVDemographics module, 5
 emodpy_tbhiv.interventions module, 6
 emodpy_tbhiv.interventions.active_diagnostic module, 6
 emodpy_tbhiv.interventions.art module, 7
 emodpy_tbhiv.interventions.bcg

module, 7
 emodpy_tbhiv.interventions.cd4diag module, 7
 emodpy_tbhiv.interventions.diag_treat_neg module, 8
 emodpy_tbhiv.interventions.hiv_diag module, 8
 emodpy_tbhiv.interventions.hiv_seeding module, 8
 emodpy_tbhiv.interventions.hsb module, 9
 emodpy_tbhiv.interventions.ramp_dtn module, 9
 emodpy_tbhiv.interventions.resist_diag module, 10
 emodpy_tbhiv.interventions.smear_diag module, 10
 emodpy_tbhiv.interventions.tb_treat_basic module, 11
 emodpy_tbhiv.interventions.tbhiv_treat module, 11
 emodpy_tbhiv.interventions.triggered_pvc module, 12
 emodpy_tbhiv.interventions.vaccine module, 12
 emodpy_tbhiv.reporters module, 12
 emodpy_tbhiv.reporters.plugin module, 12

F

fromBasicNode() (in module *emodpy_tbhiv.demographics.TBHIVDemographics*), 6
 fromSmData() (in module *emodpy_tbhiv.demographics.TBHIVDemographics*), 6

G

get_thresh() (in module *emodpy_tbhiv.interventions.cd4diag*), 7
 get_threshes() (in module *emodpy_tbhiv.interventions.cd4diag*), 7

H

HIV() (in module *emodpy_tbhiv.interventions.hiv_seeding*), 8
HIVDiagnostic() (in module *emodpy_tbhiv.interventions.hiv_diag*), 8
HSB() (in module *emodpy_tbhiv.interventions.hsb*), 9

M

makeplots() (*emodpy_tbhiv.demographics.TBHIVDemographics*.*TBHIVDemographicsWithGenderExtrapolation* method), 6
module
 emodpy_tbhiv, 5
 emodpy_tbhiv.demographics, 5
 emodpy_tbhiv.demographics.TBHIVDemographics, 5
 emodpy_tbhiv.interventions, 6
 emodpy_tbhiv.interventions.active_diagnostic, 6
 emodpy_tbhiv.interventions.art, 7
 emodpy_tbhiv.interventions.bcg, 7
 emodpy_tbhiv.interventions.cd4diag, 7
 emodpy_tbhiv.interventions.diag_treat_neg, 8
 emodpy_tbhiv.interventions.hiv_diag, 8
 emodpy_tbhiv.interventions.hiv_seeding, 8
 emodpy_tbhiv.interventions.hsb, 9
 emodpy_tbhiv.interventions.ramp_dtn, 9
 emodpy_tbhiv.interventions.resist_diag, 10
 emodpy_tbhiv.interventions.smear_diag, 10
 emodpy_tbhiv.interventions.tb_treat_basic, 11
 emodpy_tbhiv.interventions.tbhiv_treat, 11
 emodpy_tbhiv.interventions.triggered_pvc, 12
 emodpy_tbhiv.interventions.vaccine, 12
 emodpy_tbhiv.reporters, 12
 emodpy_tbhiv.reporters.plugin, 12

P

purge_campaign_event() (in module *emodpy_tbhiv.interventions*), 6

R

RampDTN() (in module *emodpy_tbhiv.interventions.ramp_dtn*), 9
Report_TBHIV_ByAge (class in *emodpy_tbhiv.reporters.plugin*), 12
ResistanceDiagnostic() (in module *emodpy_tbhiv.interventions.resist_diag*), 10

S

SetHIVCoInfectionDistribution() (*emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics* method), 5
SetHIVTBCoInfectionMortalityDistribution() (*emodpy_tbhiv.demographics.TBHIVDemographics.TBHIVDemographics* method), 5

N

name (*emodpy_tbhiv.reporters.plugin.Report_TBHIV_ByAge* attribute), 12

new_intervention_as_file() (in module *emodpy_tbhiv.interventions.active_diagnostic*), 6

T

new_intervention_as_file() (in module *emodpy_tbhiv.interventions.art*), 7
TBDrugTreatment() (in module *emodpy_tbhiv.interventions.tb_treat_basic*), 11

TBHIVDemographics (class in
emodpy_tbhiv.demographics.TBHIVDemographics),
[5](#)

TBHIVDemographicsWithGenderExtrapolation
(class in emodpy_tbhiv.demographics.TBHIVDemographics),
[5](#)

TBHIVDrugTreatment () (in module
emodpy_tbhiv.interventions.tbhiv_treat),
[11](#)

TPVC () (in module emodpy_tbhiv.interventions.triggered_pvc),
[12](#)

V

Vaccine () (in module
emodpy_tbhiv.interventions.vaccine), [12](#)